

1 INTRODUCTION

TwoNav dedicates all its experience and effort to enable you get the best out of your outdoor activities such as hiking, cycling, trail running, geocaching...

Land offers directional assistance, both on-road and off-road activities, this assistance is invaluable in order to increase the safety of your itineraries. Please, use Land application with responsibility.

Land

Even Land offers you the possibility to use this application in any type of terrain it is very important to take into consideration a series of recommendations and regulations to properly use the application:

- **Maps always contain errors:** Remember that it is impossible to have 100% updated information for all your maps. So, new streets, changes in street directions or road restrictions may invalidate partially the calculation of your itinerary. It is very important to be aware of these changes and to get adapted to the new situation.
- **Traffic regulations have always preference:** In order to fully comply the traffic regulations of each country.


If you have any questions or problems regarding the use of our products, please contact the on-line technical support department of TwoNav at <http://Support.TwoNav.com>

2 START UP & MAINTENANCE

2.1 INSTALLATION AND REGISTRATION

Installation and Trial period

To start using Land, simply download it from:

-  <http://Land.TwoNav.com>
Windows/Mac



Once installed, identify yourself as a TwoNav user and select '*Get free trial*'. Take advantage of the 30 days to work with Land and discover its powerful tools for the preparation and analysis of outdoor outings.

Subscription plans

Once the trial period is over, Land will go into Basic mode, the functions will be limited to the most essential. At this time, if you want to continue using the full potential of Land, you will need to purchase a subscription plan. These plans, in addition to Land, include many other TwoNav tools that will be very useful for your outdoor activities (Maps plus, Cloud GO...).

<p>Basic</p> <hr/> <p>This is what you need to get started in the outdoor world</p> <ul style="list-style-type: none"> ✓ BASIC features ✓ GO Cloud 30 MB <p style="font-size: small; text-align: center;">This is a free plan. Just download Land and use it</p>	<p style="text-align: center; font-size: x-small; color: red; background-color: #f08080; padding: 2px;">MORE POPULAR</p> <p>Premium</p> <hr/> <p>Take your outings to a new level</p> <ul style="list-style-type: none"> ✓ BASIC features ✓ PREMIUM features ✓ Maps Plus ✓ Unlimited updates ✓ Activation up to 5 devices ✓ GO Cloud 1 GB <p style="text-align: center; background-color: #00a651; color: white; padding: 5px; width: fit-content; margin: 0 auto;">Subscribe</p> <p style="font-size: x-small; text-align: center;">Cancel anytime Automatically renewed until cancelled</p>	<p>Pro</p> <hr/> <p>Professional mapping tools (GIS)</p> <ul style="list-style-type: none"> ✓ BASIC features ✓ PREMIUM features ✓ PRO features ✓ Maps Plus ✓ Unlimited updates ✓ Activation up to 5 devices ✓ GO Cloud 5 GB <p style="text-align: center; background-color: #00a651; color: white; padding: 5px; width: fit-content; margin: 0 auto;">Subscribe</p> <p style="font-size: x-small; text-align: center;">Cancel anytime Automatically renewed until cancelled</p>	<p>Licencia Land</p> <hr/> <p>Unlock Land with no time limit</p> <ul style="list-style-type: none"> ✓ BASIC features ✓ PREMIUM features ✓ PRO features ✓ Activation up to 3 devices ✓ GO Cloud 1 GB <p style="text-align: center; background-color: #00a651; color: white; padding: 5px; width: fit-content; margin: 0 auto;">Buy</p> <p style="font-size: x-small; text-align: center;">Single payment subject only to Land 9 version</p>
---	--	--	---

You can purchase a subscription plan from:

-  **Land**
Select 'Main menu > Help > Subscription plans'
-  **<http://www.TwoNav.com>**
Select the product 'Land'

TwoNav offers you several plans, choose the one that best suits your needs. The renewal of the plan will be automatic, you don't have to worry, TwoNav will make a single annual charge on your card. You will be able to upgrade or cancel your current plan at any time whenever you want.

Once you have purchased a subscription, the system will automatically detect your plan and activate the features and tools corresponding to your plan. You can check at any time which plan you are using from 'Main menu > Help > Activation information'.





NOTE: If you wish, instead of purchasing an annually renewable subscription plan, you can purchase the Land License in a single payment. You will enjoy Land without limit or renewals.

Portability

You can use the same subscription on up to 5 different devices (up to 3 devices for licenses). From <http://MyTwoNav.com> (TwoNav client area) you can see which devices you have activated your subscription on. If you wish to use your subscription on a sixth device, you will need to jailbreak a device in use. That is, you must first log out of one device (*'Button bar > Your name > Log out'*) and then log in to the sixth device.

In case of any doubt or problem, contact TwoNav's online technical support department at <http://Support.TwoNav.com>

2.2 FIRST STEPS



The first time you start Land, an interactive guide will pop up on the screen. Use this guide to learn more about the software, click on each window to learn more and watch videos samples:

- **View data tree structure**
- **Open your files**
- **Explore freely around maps**

- **Create your first track**
- **Discover the power of right click**
- **Analyse graphs and properties**
- **Store your activities in the GO Cloud**
- **Rapidly transfer files to your GPS**

NOTE: Access the assistant at any time from 'Main menu > Help > How to start using Land?'

2.3 CONNECTIVITY




Land lets you connect external devices to the computer and transfer files between the two so you can have your own maps/waypoints/routes on all your devices.

- **TwoNav GPS**
- **Other brands GPS**
- **Android devices**
- **iPhone/iPad devices**
- **GO cloud**

The connectivity options and the steps for enabling them depend on the type of device you wish to connect. Once Land detects the device, you can start transferring files (maps/activities/waypoints/routes/sets). There are two types of communication:

- **Direct communication:** No set-up needed, simply connect the device and Land will detect it automatically.
- **Indirect communication:** You have to specify a port and communications protocol to set up communication with Land.

Storage folders in Land



The default data storage folders in Land are as follows:

- **Default folder for maps:** 'Documents/CompeGPS/Maps'
- **Default folder for waypoints:** 'Documents/CompeGPS/Data'
- **Default folder for routes:** 'Documents/CompeGPS/Data'
- **Default folder for sets:** 'Documents/CompeGPS/Data'
- **Default folder for pictures:** 'Documents/CompeGPS/Data'

IMPORTANT: You can store objects in other folders on your computer, and not necessarily in the default folders. To do so, set it up from 'Main menu > File > Options > Folders'. Once set, every time you start Land, the program will also scan and display the files stored in these folders.


2.3.1 CONNECTING TO TWONAV GPS

Land TwoNav

USB connection


This communication is automatic and doesn't require any set-up. Follow these steps to establish a connection between the two devices:

1. Connect the device to the USB port on the computer.
2. Land will automatically detect the device and show it as a new disc drive in 'Data tree > Devices > GPS TwoNav'.




NOTE: If Land does not detect your TwoNav GPS, try refreshing the communication between Land and the device from 'Main menu > Devices > Refresh list of TwoNav devices'.

3. Under the device name, you will see several themed folders (maps/waypoints/routes). These are the files stored on your device.



4. From now on you can transfer files between the two devices.
 - **From the data tree:** Locate the file you want to transfer in the data tree and drag it to the destination folder. Transfer several files at once by pressing the 'Control' key while selecting them. Land will automatically transfer the file(s) you selected to the desired folder.




- **From the context menu:** Locate the file you want to transfer in the data tree or in the map window and open the context menu over the element. Then select 'Send to' and choose the destination.



Wi-Fi connection


If you own a new generation TwoNav GPS, you can send files to your device without having to use cables. This communication is not automatic and requires a previous configuration. Follow these steps to establish connection between both devices:

1. Connect your GPS to a Wi-Fi network from 'Main menu > Settings > Wi-Fi'.
2. Select 'Scan' to see the Wi-Fi networks available.
3. Select the network you want to connect to (and enter the password if necessary).



Once connected to a Wi-Fi network, enable the synchronization between your GPS and GO cloud:

1. Log in with your user account from 'Main menu > Settings > My accounts'.
2. Turn on auto sync with the GO Cloud from 'Main menu > Settings > GO Cloud'.




Finally, make sure that Land synchronization with GO cloud is also enabled:

1. Turn on auto sync with the GO Cloud from 'Buttons bar > GO cloud'.
2. From this moment you can will be able to transfer files between both devices. When the GPS receives Wi-Fi signal, it will automatically download the file that has been transferred from Land.

IMPORTANT: Get to know if your GPS is compatible with Wi-Fi technology at <http://www.TwoNav.com>

Storage folders



You always have the possibility to transfer your own maps/waypoints/routes/sets to your device and use these elements on your device. In order for your device to open these elements, they must be stored in certain folders:

- **Default folder for maps:**
 - **GPS:** 'TwoNavData/Maps'
- **Default folder for waypoints:**
 - **GPS:** 'TwoNavData/Data'
- **Default folder for your activities:**
 - **GPS:** 'TwoNavData/Data/Tracklog'
- **Default folder for routes:**
 - **GPS:** 'TwoNavData/Data'
- **Default folder for sets:**
 - **GPS:** 'TwoNavData/Data'

IMPORTANT: *If, after detecting your device, Land and the device cannot communicate, you can always copy files manually by accessing the disc drive from 'My PC'.*

2.3.1.1 UPDATE TWONAV GPS



Land makes it possible to update the software on your TwoNav GPS and keep it up to date. To update the TwoNav version on your GPS, follow these steps:

1. Locate the device in the data tree: 'Data tree > Devices > GPS TwoNav'.

2. Open the context menu for the TwoNav GPS and select 'Update TwoNav software'.
3. The update process will take a few minutes. Do not disconnect the GPS while the update is in progress.
4. Once complete, disconnect the device and turn it on. If the process was successful, the latest official TwoNav version will now be on your GPS.

2.3.2 CONNECTING TO OTHER GPS




The communication between Land and other GPS depends on the type of connection used by your GPS and its connectivity protocols. Most GPS do not require any prior configuration as they are automatically mounted as a mass storage. In some cases it may be done via serial port, in these cases you will need to configure the communication. Follow these steps to establish a connection between the two devices:


1. Connect your GPS to the computer.

IMPORTANT: If your device is connected using a serial port, you should configure it from: 'Main menu > Options > Device'.

2. Land will automatically detect the device and show it as a new disc drive in 'Data tree > Devices > GPS'.




3. Under the device name, you will see several themed folders (maps/waypoints/routes). These are the files stored on your device.



NOTE: Folders name may vary according different GPS brands.

4. From now on you can transfer files between the two devices.
 - **From the data tree:** Locate the file you want to transfer in the data tree and drag it to the destination folder. Transfer several files at once by pressing the 'Control' key while selecting them. Land will automatically transfer the file(s) you selected to the desired folder.



- **From the context menu:** Locate the file you want to transfer in the data tree or in the map window and open the context menu over the element. Then select 'Send to' and choose the destination.



IMPORTANT: If no connection could be established, it may be due to GPS protocols not recognized by Land. In such situation, TwoNav would be grateful to receive your feedback and let us know about your problem at <http://Support.TwoNav.com>. Hopefully we will be able to update compatibility with your GPS.

2.3.3 CONNECTING TO ANDROID



USB connection


This communication is not automatic and requires a previous configuration. Follow these steps to establish a connection between the two devices:

1. Install and run TwoNav application on your Android.




Download TwoNav application for free from <http://www.TwoNav.com>

2. Connect your device to the USB port of the computer.
3. Land will automatically detect the device and show it as a new disc drive in 'Data tree > Devices > Android'.




4. Under the device name, you will see several themed folders (maps/waypoints/routes). These are the files stored on your device.



5. From now on you can transfer files between the two devices.


- **From the data tree:** Locate the file you want to transfer in the data tree and drag it to the destination folder. Transfer several files at once by pressing the ‘Control’ key while selecting them. Land will automatically transfer the file(s) you selected to the desired folder.



- **From the context menu:** Locate the file you want to transfer in the data tree or in the map window and open the context menu over the element. Then select ‘Send to’ and choose the destination.



Storage folders



You always have the possibility to transfer your own maps/waypoints/routes/sets to your device and use these elements on your device. In order for your device to open these elements, they must be stored in certain folders:

- **Default folder for maps:**
 - **Android (App TwoNav Free):**
'Android/Data/com.compegps.twonav/files/TwoNavData/Maps'
 - **Android (App TwoNav Premium):**
'Android/Data/com.compegps.twonavfull/files/TwoNavData/Maps'

- **Default folder for waypoints:**
 - **Android (App TwoNav Free):**
'Android/Data/com.compegps.twonav/files/TwoNavData/Data'
 - **Android (App TwoNav Premium):**
'Android/Data/com.compegps.twonavfull/files/TwoNavData/Data'

- **Default folder for your activities:**
 - **Android (App TwoNav Free):**
'Android/Data/com.compegps.twonav/files/TwoNavData/Data/Tracklog'
 - **Android (App TwoNav Premium):**
'Android/Data/com.compegps.twonavfull/files/TwoNavData/Data/Tracklog'

- **Default folder for routes:**
 - **Android (App TwoNav Free):**
'Android/Data/com.compegps.twonav/files/TwoNavData/Data'
 - **Android (App TwoNav Premium):**
'Android/Data/com.compegps.twonavfull/files/TwoNavData/Data'

- **Default folder for sets:**
 - **Android (App TwoNav Free):**
'Android/Data/com.compegps.twonav/files/TwoNavData/Data'
 - **Android (App TwoNav Premium):**
'Android/Data/com.compegps.twonavfull/files/TwoNavData/Data'

IMPORTANT: *If, after detecting your device, Land and the device cannot communicate, you can always copy files manually by accessing the disc drive from 'My PC'.*

2.3.4 CONNECTING TO IPHONE/IPAD



Wi-Fi connection


This communication is not automatic and requires a previous configuration. Follow these steps to establish a connection between the two devices:

1. Install and run TwoNav application on your iPhone/iPad.




Download TwoNav application for free from
<http://www.TwoNav.com>

2. Press 'Main menu > Settings > Full settings > Communications > FTP'.
3. Next, check your iPhone/iPad's properties as FTP server (as from this moment, FTP will be activated).
4. Back to Land, access 'Main menu > Devices > Connect to TwoNav iPhone/iPad' and choose one of these options, then enter the requested information according to the properties displayed on your iPhone/iPad.
 - **Let Land use 'Bonjour' to detect iPhone/iPad:** Land will try to find your iPhone/iPad..
 - **I will write the IP of my iPhone/iPad:** Configure your iPhone/iPad manually.
5. Land will automatically detect the device and show it as a new disc drive in 'Data tree > Devices > iPhone/iPad'.




6. Under the device name, you will see several themed folders (maps/waypoints/routes). These are the files stored on your device.



7. From now on you can transfer files between the two devices.

- **From the data tree:** Locate the file you want to transfer in the data tree and drag it to the destination folder. Transfer several files at once by pressing the 'Control' key while selecting them. Land will automatically transfer the file(s) you selected to the desired folder.



- **From the context menu:** Locate the file you want to transfer in the data tree or in the map window and open the context menu over the element. Then select 'Send to' and choose the destination.



IMPORTANT: Make sure your iPhone/iPad and computer are both connected to the same Wi-Fi network.

iTunes connection


If no connection could be establish between iPhone/iPad and Land, you can also use iTunes to send and receive data. This communication is not automatic and requires a previous configuration. Follow these steps to establish a connection between the two devices:

1. Install iTunes on your computer.




Download iTunes for free from <http://www.iTunes.com>

2. Run iTunes. If device is properly connected, it will be displayed in the data tree.
3. Press 'Apps' at the top menu.



4. Once connected, you will find all stored content and data suitable to be transferred at 'File sharing' (maps/waypoints/routes).
5. In order to send/receive data press:
 - **Add:** To transfer files from your computer to your iPhone/iPad.
 - **Save to:** To transfer files from your iPhone/iPad to your computer.

Storage folders



You always have the possibility to transfer your own maps/waypoints/routes/sets to your device and use these elements on your device. In order for your device to open these elements, they must be stored in certain folders:

- **Default folder for maps:**
 - **iOS (App TwoNav Free):** *'TwoNavData/Maps'*
 - **iOS (App TwoNav Premium):** *'TwoNavData/Maps'*
- **Default folder for waypoints:**
 - **iOS (App TwoNav Free):** *'TwoNavData/Data'*
 - **iOS (App TwoNav Premium):** *'TwoNavData/Data'*
- **Default folder for your activities:**

- **iOS (App TwoNav Free):** 'TwoNavData/Data/Tracklog'
- **iOS (App TwoNav Premium):** 'TwoNavData/Data/Tracklog'

- **Default folder for routes:**
 - **iOS (App TwoNav Free):** 'TwoNavData/Data'
 - **iOS (App TwoNav Premium):** 'TwoNavData/Data'

- **Default folder for sets:**
 - **iOS (App TwoNav Free):** 'TwoNavData/Data'
 - **iOS (App TwoNav Premium):** 'TwoNavData/Data'


IMPORTANT: If, after detecting your device, Land and the device cannot communicate, you can always copy files manually by accessing the disc drive from 'My PC'.

2.3.5 CONNECTING TO GO CLOUD




For being a Land user, you have the right to have a personal storage area on GO. The GO Cloud is a virtual storage space where you can save your activities and keep them synced in all your devices. Activate auto sync on Land and every time a new route is recorded or created, it will be wirelessly and automatically uploaded to the cloud without having to upload it manually. Use the GO Cloud as a virtual repository in which to store a history of all your files safely and reliably. This communication is not automatic and requires a previous configuration. Follow these steps to establish a connection between the two devices:

1. Turn on auto sync with the GO Cloud from 'Buttons bar > GO cloud'.











2. From then on, your new activities will be automatically uploaded to the GO Cloud. And if there are more activities on the cloud, they'll be downloaded to your computer.



IMPORTANT: If you delete a file, you can decide whether to delete it only from your computer, or from the GO Cloud and all other devices that are synced with the cloud as well.

You can see the sync status of each file in the list of items:




 	London.trk 441 m 67,13 km	SYNCHRONIZING
 	London.trk 441 m 67,13 km	UPDATED
 	London.trk 441 m 67,13 km	WAITING
 	London.trk 441 m 67,13 km	ERROR

NOTE: You can force instant syncing if desired by going to 'Buttons bar > GO cloud > Synchronize Now'. Your device will then be automatically synced with the GO cloud.

2.4 UPDATE LAND

Land software is continually being improved in order to add new functionalities and polish errors. Your device has several software levels:


- **Operating system:** Executed under Land and controlling the more basic operations of Land.

-  **Windows:** How to update operating system?
(check your computer for further information)
-  **Mac:** How to update operating system?
(check your computer for further information)
- **Software:** Executed over the operating system and interacting with you.
-  **Land application:**
[How to update Land software?](#)

Visit regularly <http://www.TwoNav.com> in order to be informed about the latest version for your device and to get to know the steps to follow to update it.

3 INTERFACE


3.1 MAP WINDOW



The map window is where you will work most of the time while using Land:

- **First window:** The map window allows you to manage and edit maps/waypoints/routes.
- **Secondary windows:** Secondary windows provide the same functions as map window offering the possibility to work on different elements without interfering the same canvas.


Location of windows



If you work simultaneously with multiple windows, you can choose the position each is shown in by opening the context menu:

- **Window anchored on the left:** The selected window shall be anchored to the left side of the screen.
- **Anchored window to the right:** The selected window shall be anchored to the right side of the screen.
- **Anchored window below:** The selected window shall be anchored to the bottom of the screen.
- **Main window:** The selected window will occupy half of the main screen.
- **Floating window:** The selected window will not be fixed and will be displayed independently, overlapping with the other windows.


3.2 MAIN MENU




From the main menu, you will be able to manage most of the functions and features of the software. Press on menu elements in order to activate them or access their sub-menus.








NOTE: You can also change the functions of this menu by opening the contextual menu on it and selecting 'Customize'.

3.3 BUTTONS BAR



This bar contains several shortcuts to some of the most commonly used functions of the software. Same functions are also accessible from the main menu.




-  **'Show data tree'**: Show or hide data tree.
-  **'Show properties'**: Show or hide properties for maps/waypoints/routes/sets.
-  **'Show graph'**: Show or hide view graph for routes and tracks.
-  **'Calendar'**: Show and hide a calendar with your activities, routes and waypoints by creation date.
-  **'Open track'**: Open any track.
-  **'Open map'**: Open any map.
-  **'Gradate track color'**: Change the color of a track to a degradate, the color of the degradate will represent the variation of a selected data field all across the itinerary.




‘Track creation/edition’: Create a track from scratch or edit current tracks in map window.



‘Create Waypoint’: Mark a waypoint on the map at any location.




‘Search’: Search for any location (only available for road maps).



‘Buy maps’: Complement your cartographic collection with more maps.




‘GO cloud’: Check the synchronization status between your devices and the GO cloud.



‘Show favorites bar’: Show or hide favorites bar.

NOTE: You can also change the functions of this menu by opening the contextual menu on it and selecting **‘Customize’**.

3.4 FAVORITES BAR




This bar allows you to add shortcuts to the elements you use the most (maps/waypoints/routes/sets...). Same elements are also accessible from the data tree.

If you want to add any maps/waypoints/routes/sets to the favorites bar, you just have to drag the element from the data tree and drop it at the favorites bar.




You can show or hide the favorites bar by clicking on the **‘Show/Hide Favorites’** button on the bar.

3.5 TOOL BAR






This bar contains several handy tools that will help you to achieve the best perspective for your maps as well as ease the edition of waypoints/routes/sets (functions of tool bar may change according to the selected viewing mode).


By opening the contextual menu on it, you can either display the tool bar vertically or horizontally.





Default functions in 2D view





-  **'Orient map'**: North up (map is always facing the north) or Track up (map rotates to follow the direction of the track always up).
-  **'Re-center map'**: Viewing screen is re-centered to your current position.
-  **'Panning'**: Move the map without changing its orientation.


- 


‘Rotate map by angle’: Change the orientation of the map in a clock-wise, anti clock-wise sense or up/down.
- 


‘Window zoom’: Set the proportion of the zoom window to zoom in.
- 


‘Zoom +’
- 


‘Zoom -’
- 


‘Zoom at 100%’: View the map at its maximum resolution.
- 

‘View all’: All the objects loaded at map window will be re-centred on the screen. Set which elements you want to take as reference to be re-centred.
- 

‘2D/3D’: Switch between different map perspectives: ‘2D > 3D’.
- 


‘Create waypoints’: Create a set of new waypoints by clicking on the map, each click creates a new waypoint.
- 


‘Distance measurement’: Measure the distance between two or more points on the map (if no final point is set, Land will show the distance between the starting point and the current position of the mouse).
- 


‘Selection mode’: Mark an area on the map window by holding down the left button of the mouse and dragging it.
- 


‘New window’: Open a secondary window offering the possibility to work on different elements without interfering the same canvas.


Default functions in 3D view




- 












‘Orient map’: North up (map is always facing the north) or Track up (map rotates to follow the direction of the track always up).
- 

‘Re-center map’: Viewing screen is re-centered to your current position.
- 

‘Panning’: Move the map without changing its orientation.
- 


‘Rotate map by angle’: Change the orientation of the map in a clock-wise, anti clock-wise sense or up/down.
- 

‘Window zoom’: Set the proportion of the zoom window to zoom in.

	'Zoom +'
	'Zoom -'
	'Zoom at 100%' : View the map at its maximum resolution.
	'View all' : All the objects loaded at map window will be re-centred on the screen. Set which elements you want to take as reference to be re-centred.
	'2D/3D' : Switch between different map perspectives: '2D > 3D'.
	'Vertical exaggeration' : Multiplies the altitude of the relief to make a clearer effect in 3D.
	'Rendering mode' : When using 3D view, display the rendering of maps according to your needs.
	'Flight simulator' : Move around the landscape as if you were piloting a helicopter.
	'Capture video' : Create a video file of the current content shown at map window.
	'Screenshot' : Create an image file of the current content shown at map window.
	'New window' : Open a secondary window offering the possibility to work on different elements without interfering the same canvas.

NOTE: You can also change the functions of this menu by opening the contextual menu on it and selecting 'Customize'.

3.6 DATA TREE WINDOW




The data tree is a handy tool that allows you to quickly see the files you have open at that time. You can also manage the files that you have stored on your computer or in connected devices. Data tree provides you quick access to the most important operations to be carried out on maps/waypoints/routes/sets...

Data tree is divided into several sections:

- **Files:** Currently loaded files (either they are shown at map window or currently hidden).
- **Devices:** Connected devices to the computer (GPS, smartphone...).
- **On-line files:** Files available not in computer nor in GPS but in the internet servers.


Location of windows



If you work simultaneously with multiple windows, you can choose the position each is shown in by opening the context menu:

- **Window anchored on the left:** The selected window shall be anchored to the left side of the screen.


- **Anchored window to the right:** The selected window shall be anchored to the right side of the screen.
- **Anchored window below:** The selected window shall be anchored to the bottom of the screen.
- **Main window:** The selected window will occupy half of the main screen.
- **Floating window:** The selected window will not be fixed and will be displayed independently, overlapping with the other windows.



In addition, if there is more than one window anchored on the same side, you can choose how to display them within this same space by opening the context menu:

- **Split windows:** The windows will be displayed split in the same space. All the windows will be displayed on the screen.
- **Windows in tabs:** The selected window will be displayed occupying all the available space. To view the other windows just click on the corresponding tab; in doing so you will no longer see the previous one.

3.7 PROPERTIES WINDOW




This window is very useful to check all kind of properties on maps/waypoints/routes.

Properties are classified in categories and most of the properties can be edited. For example, you can edit the thickness of a track and once it has been modified, you will automatically see the result at map window.


Note that some data cannot be modified because it may be intrinsic information of that element, for example, the scale of a map.

Location of windows



If you work simultaneously with multiple windows, you can choose the position each is shown in by opening the context menu:


- **Window anchored on the left:** The selected window shall be anchored to the left side of the screen.
- **Anchored window to the right:** The selected window shall be anchored to the right side of the screen.
- **Anchored window below:** The selected window shall be anchored to the bottom of the screen.
- **Main window:** The selected window will occupy half of the main screen.
- **Floating window:** The selected window will not be fixed and will be displayed independently, overlapping with the other windows.



In addition, if there is more than one window anchored on the same side, you can choose how to display them within this same space by opening the context menu:

- **Split windows:** The windows will be displayed split in the same space. All the windows will be displayed on the screen.
- **Windows in tabs:** The selected window will be displayed occupying all the available space. To view the other windows just click on the corresponding tab; in doing so you will no longer see the previous one.


3.8 GRAPH WINDOW



Land features a graph representation system that may be useful for to analyse and appreciate variations on routes.

By doing this you can work more closely on particular portions of routes, as well as analyse data and statistics with greater precision.


Location of windows



If you work simultaneously with multiple windows, you can choose the position each is shown in by opening the context menu:

- **Window anchored on the left:** The selected window shall be anchored to the left side of the screen.


- **Anchored window to the right:** The selected window shall be anchored to the right side of the screen.
- **Anchored window below:** The selected window shall be anchored to the bottom of the screen.
- **Main window:** The selected window will occupy half of the main screen.
- **Floating window:** The selected window will not be fixed and will be displayed independently, overlapping with the other windows.



In addition, if there is more than one window anchored on the same side, you can choose how to display them within this same space by opening the context menu:

- **Split windows:** The windows will be displayed split in the same space. All the windows will be displayed on the screen.
- **Windows in tabs:** The selected window will be displayed occupying all the available space. To view the other windows just click on the corresponding tab; in doing so you will no longer see the previous one.

3.9 DATA PAGE WINDOW




During your navigations, Land records many interesting data, this information (data fields) is usually very interesting to analyse and compare (speed, height, distances...).

Data page offers you an additional space where a larger number of data fields are displayed. When opening a contextual menu on a data field, you will find the available functions associated to that field. Data page can be configured to fit your preferences, customize Land displaying the data fields that you really need.

NOTE: You can also change just one field by opening the contextual menu on it (select 'Fields selection').


IMPORTANT: Get to know more about data fields in Appendix.

Location of windows



If you work simultaneously with multiple windows, you can choose the position each is shown in by opening the context menu:


- **Window anchored on the left:** The selected window shall be anchored to the left side of the screen.
- **Anchored window to the right:** The selected window shall be anchored to the right side of the screen.
- **Anchored window below:** The selected window shall be anchored to the bottom of the screen.
- **Main window:** The selected window will occupy half of the main screen.
- **Floating window:** The selected window will not be fixed and will be displayed independently, overlapping with the other windows.



In addition, if there is more than one window anchored on the same side, you can choose how to display them within this same space by opening the context menu:

- **Split windows:** The windows will be displayed split in the same space. All the windows will be displayed on the screen.
- **Windows in tabs:** The selected window will be displayed occupying all the available space. To view the other windows just click on the corresponding tab; in doing so you will no longer see the previous one.

3.10 STATUS BAR




Status bar provides you instant information of the element that you are pointing with the mouse (name of the location/coordinates, bearing and distance to that point, altitude of the selected point...).

Press elsewhere on the map and the information featured in the status bar will be adapted to the new position.

NOTE: You can also change the functions of this menu by opening the contextual menu on it and selecting 'Customize'.

3.11 CONTEXTUAL MENU



Land uses contextual menus to display the most appropriate functions for an element: to open the contextual menu of an element, press right click on it.

Depending on the element on which you open the contextual menu, you may enter different functions.

4 OPERATIONS

4.1 MAPS

Map types

Rasters

Maps digitally calibrated based on bitmap images (if map is scaled, there will be loss of clarity, the quality of the map will degrade).



Topographic: Maps containing information related to the relief of the terrain (elevation contour lines, pathways, national parks...).

Orthophoto: Maps containing aerial photographs with information related to all elements included in the landscape (fields, lakes, roads, buildings, national parks...).

Cadastre: Maps containing information related to limits of all terrain parcels (fields, roads, buildings...).

Marine chart: Maps containing nautical information related to the sea (depth data, ports, marine services, tides, currents, marine wrecks...).



Vectorials

Maps digitally calibrated based on vectors (if map is scaled, there will be no loss of clarity, the quality of the map will not degrade).




Urban: Maps containing information related to roads and streets (names of the streets, street directions, points of interest...).

Topographic: Maps containing information related to the relief of the terrain (elevation contour lines, pathways, national parks...).



3D reliefs

Maps digitally calibrated based on elevation reliefs containing information related to the altitude of the ground. With a relief map loaded you may display your maps in 3D mode.



Locked maps

Maps not activated. In order to start working with them, enter a license code.

Map formats

Land can open the following map formats depending on the device:





Land can open the following 3D relief map formats depending on the device:



IMPORTANT: Some maps are protected against illegitimate copies. In such situations you must enter a registration code to use the map.

Map properties

A map is a flat graphical representation of a portion of the earth's surface. A map presents several properties:

- **Scale:** Relation between the dimensions of the elements drawn on the map and their real value measured on the earth's surface (example: 1:25.000).
- **Resolution:** Relation between the distance of the ground in meters and a pixel (meters/pixel). A fewer number will represent a more detailed map.
- **Projection:** All maps are approximate representations of the surface of the earth on a flat surface. The creation of any map uses a method that associates each point on the earth's surface with a point drawn on a map. Different types of cartographic systems are used to make this association. There are several different types of

cartographic projection that are classified depending on the areas they cover (example: UTM, Lat./Long., Mercator...).

- **Datum:** Datums are used to translate the positions of elements (waypoints/routes) to the exact position on the earth. Datum systems are needed because the earth is an imperfect ellipsoid (example: WGS84, NAD83, NAD27, OSGB36, ED50, PSAD56...).
- **Coordinates:** Table of latitude and longitude readings based on the meridians and parallels that indicate the relative situation of a point on the earth's surface.
- **Calibrating points:** Number of points used to calibrate the map.
- **Primary:** In case of conflict between maps, if this field is marked, other maps will be adapted to this one.
- **Size of the bitmap:** Size of the image that the map comes from.
- **Extension:** Width and height of the area covered by the map.
- **Rows/Columns:** Number of rows/columns the landscape is made up of (altitude/width)
- **3D picture using vectors:** Indicates if the vectors will be used to represent the 3D mode.
- **Number of vectors:** Number of vectors composing the map.
- **Number of points:** Total amount of points composing the map.
- **Number of entities:** Stores the number of polygons.
- **Far/Near zoom:** Maximum and minimum zoom values between which the map is visible on the screen. These values allow to enlarge or decrease the size of the map up to the limitation of these settings.


IMPORTANT: *By default, Land opens the best map based on your current position automatically. If you prefer to manage your maps manually, disable the 'Auto-open maps' function from 'Buttons bar > Options > Maps'.*

NOTE: *TwoNav offers you a wide range of maps from all around the world to complement your cartography, just visit <http://www.TwoNav.com>*

4.1.1 BASIC OPERATIONS ON MAPS

Basic operations that can be performed on maps:

- **Open a map:**



1. On the buttons bar, press 'Open map'.
2. Select the map that you want to open.
3. Once opened, map will be displayed at map window and listed at the data tree.

- **Open the best map for a certain area:** Land will automatically look for the map with best definition for the chosen point.




1. On the main menu, press 'File > Preferences > Maps'.
2. Choose the type of map you want to auto-open (maps available on your computer, on-line maps, reliefs...).

- **Show a list of all opened maps:** This window shows you a list containing all the maps that are currently opened on Land. From this window you can carry out several actions on maps.

● File Name	● Scale [m/pixel]	● Is Primary	● Memory Used
Portugal Road map	1,0	No	0.0 Mb
Belgium Topo map	39	No	0.3 Mb
Iceland Marine chart	81	No	0 Mb
3D relief	93	Yes	0 Mb

1. At the data tree, open the contextual menu on 'Maps'.
2. Select 'Maps list'.

- **Check the properties of a map:** This window shows you a list of properties of the selected map (some parameters are editable).



Map type	Raster Map
Scale	39 m/pixel
Projection	UTM Projection Zone 31
Map extension:	19729,9m x 11443,3m
Original datum	European 1979
Used memory	0,3 Mb

Number of calibration points	2
Bitmap name	ager.jpg
Bitmap's size:	500 x 290
Color bits	24
Angle respect its Projection	-0,476°

1. At the data tree, open the contextual menu on the map.
 2. Select '*Properties*'.
- **Zoom to a specific map:** Focus the selected map at map window in just a click.



1. At the data tree, open the contextual menu on the map.
 2. Select '*Zoom to it*'.
- **Establish map as index:** If you work most of the time with the same map, Land offers you the possibility to open that map in just a click instead of having to search for the map each time you run Land. Assign your most-commonly used map as '*Index map*':
 1. At the data tree, open the contextual menu on '*Maps*' and select '*Open index map*'.
 2. Select the map that you want to set as '*Index map*'.
 3. You have just defined this map as '*Index map*'.
 4. As from now, next time you click '*Open index map*' Land will open this map automatically.
 - **Establish map as primary:** If a calibration conflict arises, the other maps will adapt themselves to the map set as primary.
 1. At the data tree, open the contextual menu on the map.
 2. Select '*Multimaps > Set as primary*'.
 - **Bring map to front/Send map to back:** With Land you can load more than one map at the same time, but if you have two maps for the same area displayed at the same time, one of them can be displayed at the top by superposition so that you can use both maps at the same time.



1. At the data tree, open the contextual menu on the map.
2. Select 'Multimaps > Multimaps > Bring to front/Send to back'.


IMPORTANT: If a vectorial roadmap is superimposed on any other type (topographic, orthophoto ...) the two maps will be viewed together, simultaneously showing the roads from the first map and the relief from the second.

- **Draw map corners:** Land draws at the map window the frames for all loaded maps.



1. On the main menu, press 'File > Preferences > View > General'.
2. Select 'Draw map corners'.

- **Map transparency:** With Land you can load more than one map at the same time, but if you have two maps for the same area displayed at the same time, one of them can be displayed using a certain transparency so that you can use both maps at the same time.



1. At the data tree, open the contextual menu on 'Maps'.
2. Select 'Transparency' and set the level of transparency for that map.


- **2D/3D view:** Press '2D > 3D' button at the tool bar to switch between viewing modes.



Land offers several visualizing modes so you have the most adequate perspective in each moment. At the tool bar press '3D' to switch between the different views:

1. **'2D flat' mode:** Zenith plan.
2. **'3D flat' mode:** Trimensional flat image with a perspective.
3. **'3D relief' mode:** Orography of the terrain in real 3D (vectorial maps will not be displayed in 3D). This mode can only be displayed if you load:
 - 3D relief map (*.CDEM)
 - Raster map (normally *.RMAP or *.ECW)

If no 3D relief map is available, the 3D view will be flat. Use the mouse to control movement in 3D. By holding down each mouse button and moving it you will get different effects: move, rotate, ascent, descent, zoom in, zoom out...



2D FLAT

3D FLAT

3D+ RELIEF

RELIEF MAP

- **Send to:** Land offers you the possibility to transfer any map to several destinations (GPS or smartphone):
 1. Open the contextual menu on the item you want to transfer.
 2. Once open, press 'Send to' and choose where you want to transfer the selected item. If you owe a new generation TwoNav GPS, you will be able to choose between transferring via USB cable or Wi-Fi.
 3. File transfer will start and may take a few seconds.

IMPORTANT: *Transfer options may vary depending on the selected item.*

4.1.2 ADVANCED OPERATIONS ON MAPS

Advanced operations that can be performed on maps:

- **Measure the distance between two or more points on a map:**




**Distance
1.2 km**

1. At the toolbar, click '*Distance measurement*'.
2. Mark the starting point on the map. If no ending point is defined, Land will measure the distance between the starting point and the current position of the mouse.
3. Next, mark another point on the map and so on. Land will update the total distance as you mark more points.

NOTE: *From the vector editor you can move the created points to another location, delete them, or even create the freehand path*

- **2D/3D shaded relief:** Relief will be displayed in a clearer and attractive way, as it features shadow simulations enhancing thus the variations of the ground.



1. On the main menu, press '*File > Preferences > View > Relief*'.
2. Choose the type of shading on your maps.

- **Miniature map:** A window will open with a general view of all the open elements (maps/waypoints/routes).



1. On the main menu, press 'Window'.
 2. Select 'Show miniature Map'.
- **Magnifying window:** Open a window and zoom in on the location the pointer is indicating.



1. On the main menu, press 'Window'.
 2. Select 'Show magnifying window'.
- **View map degrees/projection grid:** Show/Hide latitude/longitude or UTM projection grid at map window.



1. On the main menu, press 'File > Preferences > View > Grids'.
 2. Choose the type of grid you want to use in Land..
- **View map tiles layout:** A grid displaying the layout of a mosaic map (*.RTMAP) will be shown.




1. On the main menu, press 'View'.
2. Select 'Tiles layout'.

4.1.3 EXPERT OPERATIONS ON MAPS


4.1.3.1 DOWNLOAD FREE MAPS

Land offers you the capacity to download all kinds of free maps located on external Internet servers. This is access to different on-line vendors that will allow you to download maps for whatever area you want. Follow these steps to open and work with on-line maps:

1. In the map window, center the map in the area where you want to get a list of available elements.



2. Click on 'Data tree > On-line files' and select any of the suppliers, depending on what you want to download. In this space you will find different suppliers, most of them are open providers and give access to their databases, with thousands of maps available. 'On-line files' also gives you access to personal online storage services (Dropbox...) that require identification and allow you access to maps that we have previously saved on those servers.



3. Land will start looking for available maps near that position.



4. If an element near your position is found, a list will open with maps available for the selected area. In it you will see the basic data on the items found in the 2nd line right after the item's name.



5. Select the map you want, download it by double-clicking on it, and, once downloaded, the item will be available in 'Data tree > Open files'.

NOTE: If you are familiar with the URL address of the site where an on-line map is hosted, you can also download it directly. Access 'Main menu > File > Open > Open map from an Internet URL' and write the URL address. If the map is still located on that server, Land/Air will automatically download it.

4.1.3.2 ACCESS 'MAPS PLUS'


IMPORTANT: To access 'Maps Plus' it is essential to have a 'Premium' or 'Pro' subscription plan. Check your subscription plan from 'Main Menu > Help > Activation Information'. You can purchase a subscription plan from 'Main Menu > Help > Subscription plans'.

Land gives access to a private server with exclusive maps from all over the world with a high level of reliability and speed. These maps use the OpenStreetMap sources and each of them offers a different view of those same sources, highlighting only the most important data for each sport. For example:

- **Hiking map:** Highlights the official trails for hikers (GR, PR, SL...).
- **Cycling map:** Highlights the special routes for that environment.
- **High contrast map:** Offers better visibility of the most important elements.

To access and use these high-quality maps, follow these steps:

1. Click on '*Data tree > On-line files > Maps Plus*'.




2. A list with available maps for the selected area will open.



3. Select the map you want, download it by double clicking on it and, once downloaded, the element will be available in '*Data tree > Open files*'.

4.1.3.3 BUY PAID MAPS



Land features an on-line shop where you can buy any map from the large portfolio of TwoNav's products ('Buttons bar > Buy maps'). The on-line shop offers you a wide range of map possibilities in multiple formats: topographic maps of the most prestigious cartographic institutes of the world, navigable road maps from all around the world, to avoid getting lost in any city, satellite images in high resolution...

4.1.3.4 IMPORT MAPS

Some maps and 3D reliefs may not be directly compatible with Land because of their calibration, information may be missing to fully open the map or the 3D relief (some formats do not specify their projection, datum or coordinates system). In order to correct these errors and import the map or 3D reliefs, proceed as follows:

1. Select 'Main menu > Maps > Import maps' or 'Main menu > Maps > Import 3D relief'.




2. Select the drawing of the map that you want to open.



Land allows you to open the following map formats:





Land allows you to open the following 3D reliefs formats:




3. Check all the default information included in your map. Modify any information that you want to change. Once modified, the newly imported map will contain this new information:

- **Projection:** All maps are approximate representations of the surface of the earth on a flat surface. The creation of any map uses a method that associates each point on the earth's surface with a point drawn on a map. Different types of cartographic systems are used to make this association. There are several different types of cartographic projection that are classified depending on the areas they cover. Choose the most suitable projection for the map that you are working with:



**UTM
Albers**




**Lat./Lon.
BGN**

**Mercator
Lambert**

- **Datum:** Datums are used to translate the positions of elements (waypoints/routes) to the exact position on the earth. Datum systems are

needed because the earth is an imperfect ellipsoid. Choose the most suitable datum for the map that you are working with:



Datum A **NAD83**

Datum B **ED50**

WGS84 **NAD27**

OSGB36 **PSAD56**

- **Advanced unit options:** Choose the units that you use to write the deviation of the location of the map on the X, Y and Z axels:

km

m

ft

fm

mi

nm

4. Assign a name for the newly imported map and save it.
5. Once stored, you will be able to start working with the new map.

4.1.3.5 CALIBRATE MAPS

Thanks to Land you are able to complement your maps downloaded from internet with your old paper maps.

Map calibration

Scanning a map can often be a long and tiresome task, follow these steps to guide you throughout the process:

1. First of all, you need to scan your paper map. The size of old paper maps usually implies that you have to scan them bit by bit or ask for professional help.




- Once scanned, your map becomes digital and ready-to-calibrate with Land. Press 'Main menu > Maps > Calibrate image' (Land not only offers you the possibility to calibrate maps, but also images).
- Select the map you want to calibrate, Land allows you to work with these formats:




NOTE: If you have scanned your paper maps in another format, use an image editor to convert them to any of these accepted formats.

- Calibration editor will be launched. Fill all the information required at 'Projection':
 - Projection:** All maps are approximate representations of the surface of the earth on a flat surface. The creation of any map uses a method that associates each point on the earth's surface with a point drawn on a map. Different types of cartographic systems are used to make this association. There are several different types of cartographic projection that are classified depending on the areas they cover. Choose the most suitable projection for the map that you are working with:




UTM
Albers



Lat./Lon.
BGN

Mercator
Lambert

- Datum:** Datums are used to translate the positions of elements (waypoints/routes) to the exact position on the earth. Datum systems are needed because the earth is an imperfect ellipsoid. Choose the most suitable datum for the map that you are working with:



Datum A

NAD83

Datum B	ED50
WGS84	NAD27
OSGB36	PSAD56

NOTE: If you do not know the projection of your map, set 'Automatic'. Land will use UTM, the most extensively used projection in the world.

5. At 'Corners' remove the legend of your map, this operation is usually done to eliminate the frame that surrounds the map so that it can fit perfectly alongside with the rest of the maps. When working with Land, is highly recommended that the maps do not contain map legends around them because kind of frames break up the continuity of the orography. Re-define the area of the map having in mind that map will be highlighted while the marked area will be erased.



6. When you calibrate a map you are actually positioning a picture on the surface of the earth. In order to do this, you must know the exact coordinates of at least two points of the map. At 'Point 1', type the information related to first calibration point.
- **Bitmap coordinates:** Select a point on the map as reference.
 - **Coordinates type:** Type the exact coordinates of the point that you just marked on the picture.

If you don't know the coordinates of that point, move the previous point from one location to another or even delete it. Remember that you can also use a waypoint as a calibration point.



X: 308.0

LAT: 22°19'18.2"N

Y: 154.0

LON: 114°12'02.2"E

- Repeat the same procedure for the second calibration point at 'Point 2'. This will allow Land to join together the information given by bitmap (map) together with the system of coordinates of the software and locate the exact position of the map.



- It is highly recommended to use a minimum of three calibration points in order to obtain an accurate calibration of the map. To include more calibration points click 'Create an additional point'.
- Assign a name for the newly calibrated map and save it.
- Once stored, map will be calibrated and ready-to-use.

Calibration move

If you superpose a waypoint, a route or a track onto a calibrated map, and you notice that these references are out of place or a bit moved, is quite possible that the calibration of the map has not been carried out properly.



X: 0 m

Y: 0 m

X: +1000 m

Y: -500 m

In this situation, there is no need to scan the map and repeat the whole process again:

- At map window, open the contextual menu at the map you want to move.
- Select 'Move map calibration' and write the variation of X (abscissas) and Y (ordinates) to adjust the new location of the map.

Calibration review

If you superpose a waypoint, a route or a track onto a calibrated map, and you notice that these references are out of place or a bit moved, is quite possible that the calibration of the map has not been carried out properly.

In this situation, there is no need to scan the map and repeat the whole process again. Press *'Review map calibration'* and check that all the information. It is highly recommended to remove the old calibration points and locate new points. Adding new calibration points while keeping the old ones will not solve the problem because the old points may not be correct.

4.1.3.6 REMOVE MAPS LEGENDS

When working with Land, it is highly recommended that the maps do not contain map legends around them because kind of frames break up the continuity of the orography. This operation is usually done to eliminate the frame that surrounds the map so that it can fit perfectly alongside with the rest of the maps. In order to remove the legends of your maps and just keep the cartography, follow these steps:

1. Open a map containing borders and legends.



2. Open the calibration function of Land from *'Main menu > Maps > Review map calibration'*.
3. Select *'Corners > Modify map corners'*. Re-define the area of the map having in mind that map will be highlighted while the marked area will be erased.



4. Adjust the thick line that borders the map to the area that you really want to keep. The thick line contains some points that can be moved to redraw the highlighted area.



5. If you need more precision to remove the legends of your map, the vectorial editor provides you some useful tools:
 - **Insert intermediate point:** Create a third point between two points.
 - **Delete point:** Delete any point.
6. When all adjustments are made, press 'Save'.



IMPORTANT: Once you click 'Save' you will not be able to undo the cuts you have made. It is highly recommend to store a copy of the original map before start editing it.


4.1.3.7 CREATE SECTIONS OF MAPS

One of Land's most helpful capacities is the ability to create portions of any type of map (topographic, orthophotos, roads and streets...) and save them individually:

- **On large maps:** It is very useful to save only the geographical area of interest to you, giving you a smaller file that is much easier to transfer and process, and that is adapted your outdoor activities.



- **On-line maps:** Although Land offers you the ability to work with Internet maps from all around the world, sometimes you may need to access these maps when an Internet connection is not available. In these situations Land can save parts of any Internet map on your computer. This way you can have that part of the map without having to be connected to the Internet during your outdoor activity.



To create sections on maps or reliefs, follow these steps:

1. Open the map you wish to create a section of:
 - **Map stored on your computer**
 - **On-line map of anywhere in the world**
(Accessible from 'Data tree> On-line files')

IMPORTANT: You can only create sections of maps that are not copyright-protected.

2. In the toolbar, activate the 'Selection mode' and select the portion of the map you want to generate using the original map.



3. Once you have defined the area of the new map, click on 'Create a new map for this area' or 'Create a new relief for this area'.



4. If the selected area contains waypoints/routes, Land will allow you to choose whether to keep these references on the map (they will be printed on the resulting map) or to just generate the map, excluding any such elements.



5. Assign a name and format to the newly created map, and save it.

NOTE: We recommend saving the resulting map in *.RMAP format due to its performance and compatibility with most platforms.

6. The map creation process will then start. This process can take several hours if you are dealing with large map sections.

- Once saved you can start working with the new map without any need for an Internet connection.


4.1.3.8 MARGE MAPS

This function allows you to join several maps into one. Land will automatically carry out the equalling of scales and projection for the newly created map. By doing this, you will not need to calibrate it yourself.

- Open all the maps that you want to merge.

200 m |-----| 2.1 m/pix 100% ▲


- Fix the map scale to '100%' in order to obtain the maximum visual quality of the resulting map. If you set a lower scale the resulting map will be less detailed.
- Press 'Main menu > Maps > Merge maps' in order to join the maps.



- Information about the resulting map will be displayed on the screen before you finally join the maps (size of the map, scale and projection).

The new map will have this size in pixels: 1787 x 3575
It will use the actual scale of Land/Air : 5.594 m/pixel
(This is 43% of the primary map: 'FR_25K_0430_2110_16_MANSLE_2015.rtmap')
The projection will be this one: France Lambert II étendu


- Assign a name for the newly created map and save it.



- Once stored, you will be able to start working with the new map.

NOTE: It is highly recommended to save the map in *.ECW format, this format allows you to store the map image and the calibration of the map at the same file. If you want to store the map in two separate files (image and calibration) first save the image file (type a name for the map), and then, introduce a name for the calibration file (save the file in *.IMP format using the same name that you used for the bitmap image).

4.1.3.9 CREATE HYPERMAPS



LAYER 1: 10%
LEAST DETAILED

LAYER 2: 30%
MORE DETAILED

LAYER 3: 50%
MOST DETAILED



A hypermap file is one composed of maps of different formats, organised with superimposed layers. Each layer presents a different map, depending on the level of zoom applied.

That is, as you zoom in on the map located on the top layer, it will give way to the map provided in the next layer below, and so on. Thus, depending on the variation of the zoom, one map or another will be displayed, without the need to activate or deactivate the open maps.

Hypermaps will prove very useful to organize maps covering the same geographical area, according to each's level of detail. When you zoom in on one of the maps and it starts to pixelate automatically it will display the next map with greater resolution, being able to supplant, for example, a pixelated topographic map with an orthophoto featuring better resolution.

Organization of layers

A hypermap can contain as many map layers as you wish. Briefly, a hypermap is structured in the following way:

- **Hypermap (*.IMP file):** Links the various layers and establishes the starting resolution for the display of each layer.

- **Map layer 1:** A less detailed, usually very general map used as a rough reference, without much resolution.
- **Map layer 2:** A more detailed map, usually of specific areas, with good resolution.
- **Map layer 3:** A maximum-detail map, usually maps of specific areas, with very high resolution.
- **Other map layers:** Increasingly detailed layers, and, generally, of more specific portions of territory.

Creation of hypermaps

All you will need to create a hypermap is:


- **At least two maps**

To set up your own hypermaps, follow these steps:


1. Open all the maps you want to integrate into your hypermap.



2. From the data tree, open the context menu in the category 'Maps' and select 'New hypermap'.
3. Then drag from the data tree each one of the maps open in the hypermap you have just created.




4. Once added, from the same data tree, organise the data maps in the order you want to see them: hold down the left mouse button on the map you want to move, and drag up or down to the desired position.



IMPORTANT: Usually maps featuring lower resolution are placed above maps of higher resolution, as in this way the lower-resolution maps will be displayed in the foreground and, as one zooms in, the more precise maps will be displayed.


- Once organised, in the map window locate the map that is situated above the others (layer 1) and zoom in on it. Continue zooming to the point where you would like the second map to appear (usually when the current map starts to lose resolution and become pixelated).
- Once this zoom point is determined, open the properties of the map you want to make disappear (layer 1) and, in the option 'View > Far zoom' select 'XX m / pix (Current zoom)'.



- After the current zoom level the previous map will no longer appear, giving way to the map located on the next layer. Check the previous step by applying more zoom (note to the zoom, resolution and the map scale).




- Apply the previous steps to the other maps contained on the hypermap, except for the last layer.



9. Once the changes to all the maps have been made, make sure that the entire hypermap works properly.
10. If it does, assign the newly created hypermap a name and save it (in the data tree, open the context menu on the hypermap and go to *File > Save*).
11. Once saved, you can start working with the new hypermap.

IMPORTANT: Remember that from now on you will not need to open all the maps individually, it will suffice to open the hypermap that fuses them (*.IMP file).


4.1.3.10 CREATE VECTORIAL MAPS



Land allows you to create vectorial maps from scratch, and to modify any type of information on these kinds of maps. Thanks to its flexible interface, you can adapt your maps, adding, editing or deleting the information you deem most appropriate.

Vectorial maps are mainly based on these elements:

- City of London
- Whitechapel
- Moorgate



POINTS

POLYLINE

POLYGONS

These elements are grouped in layers, each one containing a different type of information: names of cities (points), main roads (polylines), buildings representing hospitals (polygons)...

Based on the properties of each element, you will be able to define, among others: the colour and thickness of the polyline defining the element, the filling and texture of polygons, the icon identifying each layer...

Creation of vectorial maps

To create a vectorial map from scratch, just follow these steps:

1. Go to 'Main menu > File > New > New vectorial map' and give the newly created map a name.

IMPORTANT: Before starting work on a vectorial map, you will need to load some type of item (map/waypoint/route) that serves as a reference, to keep from creating the map blindly.

2. Choose the type of element you wish to create (point/polyline/polygon).
3. Open the context menu in the exact location where you want to create the new reference.
4. Create the element:


- **Point:**



- City of London

1. Select 'Create new point'.

- **Polyline:**



1. Select 'Create new polyline'.
2. The first point of the polyline will be created in that position. Select the location of the second point, and repeat this action until the last point.

- **Polygon:**




1. Select 'Create new polygon'.
2. The first point of the polygon will be created in that position. Select the location of the second point, and repeat this action until the last point.
5. Fill out the basic information on the element you just created in the properties window.
6. Repeat the previous steps for as many elements as you wish to create.
7. Once you're finished, go to 'Finish editing'.
8. Assign a name to the newly created hypermap and save it (on the data tree, open the context menu on the map and hit 'File > Save').


Edition of vectorial maps


Once the vectorial map is open you can easily modify the points/polylines/polygons that make up a vectorial map. These are the basic operations that you can perform:




'Add points to a polyline/polygon': Add more points to the polyline/polygon, starting from the desired point.


- 


'Insert intermediate points in a polyline/polygon': Detect the two points of the line closest to the cursor and insert an intermediate point between them.
- 

'Draw a polyline/polygon by dragging the mouse': Add more points to the polyline/polygon as if you were drawing freehand from the desired point.
- 


'Delete a polyline/polygon': Delete the selected element.
- 


'Remove point': Choose the point of the selected item that you wish to eliminate.
- 

'Edit point': Modify all kinds of information on the selected element.
- 

'Split polyline': Divide a polyline into two parts.
- 


'Unify lines': Unite two polylines (the beginning and end of the polylines must coincide in order to fuse the two).
- 

'Recentre position during editing': Automatically recentre the map window each time you create a new point.
- 

'Reverse polyline direction': Reverse the direction in which the selected polyline runs.
- 

'Change a polyline/polygon to the active layer': Move the selected polyline to the active layer of the vectorial map.
- 

'Create network information for routing': Create network information for later use with the 'FastTrack' tool.
- 

'Create a new polygon': Create a polygon by selecting the location of each of the points that comprise it.
- 


'Create a new polyline': Create a polyline by selecting the location of each of the points that comprise it.

4.2 WAYPOINTS



The waypoint is a point defined by a geographical position, latitude and longitude coordinates and in most cases altitude, used by the GPS navigation tools. Waypoints are represented on screen as points with name or representative icon.


The waypoints are kept inside Waypoints Files (usually in *.WPT format), so a Waypoints File may contain one or more waypoints. You can have several waypoints files opened, but created waypoints will be always saved inside an Active Waypoints File (AWF).



By default, the Active Waypoints File is called 'Waypoints.WPT', but you can set as Active Waypoints File any other file (marked with an asterisk): select 'Set as active waypoint' option. When a new waypoints file is created, it will be automatically set as active.

NOTE: Full customization of Active Waypoints Files can be check at: 'Main menu > File > Options > Waypoints > Active waypoints mode'.

See your list of available waypoints from 'Data tree > Waypoints'. Land can open the following waypoint formats:



4.2.1 BASIC OPERATIONS ON WAYPOINTS

Basic operations that can be performed on waypoints:

- **Open a waypoints file:**



1. On the data tree, open the contextual menu at the category 'Waypoints'.
 2. Select 'Open waypoints file'.
 3. Once opened, waypoints will be displayed at map window and listed at the data tree.
- **Show a list of all the waypoints contained in a single waypoint file:** This window shows you a list containing all the points that make up the selected waypoint file. From this window you can carry out several actions on waypoints.

● Icon	● Name	● Description	● Coordinates	● Altitude [m]
	FOREST	Forest near the sea	42°28.076'N 001°46.344'E	2400
	LAKE	Loch Ness	42°28.854'N 001°47.350'E	2468
	PEAK	Highest peak in the itinerary	42°28.215'N 001°47.554'E	2254
	START	Starting point: London	42°28.571'N 001°46.250'E	2670


1. On the data tree, select the waypoints file you want to consult.
 2. Select 'Waypoints list'.
- **Check the properties of a waypoints file or a waypoint:** This window shows you a list of properties of the selected waypoints file or waypoint (some parameters are editable).

	Waypoints file	Waypoints.wpt		LAT	42.464218°N	
	Name	Forest		LON	1.786516°E	
	Description	Forest in Athens		Coordinates type	Lat / Long	
	Icon			Datum	WGS 84	
	Date	09-11-2016		Degree format	dd.dddddd	
	Time	11:50:02		Altitude	2143 m	
	Link					

1. On the data tree, select the waypoints file or the waypoint you want to consult.
 2. Select 'Properties'.
- **Zoom to a specific waypoint:** Focus the selected waypoint at map window in just a click.



1. At the data tree, open the contextual menu on the waypoint.
 2. Select 'Zoom to it'.
- **Create a new waypoints file:**




1. On the data tree, open the contextual menu at the category 'Waypoints'.
2. Select 'New waypoints file'.
3. The new file will be labeled as Active Waypoints File (AWF). New waypoints will be always saved inside the Active Waypoints File (AWF).

- **Create a new waypoint:**



1. At the button bar, click the 'New waypoint' button.
2. A pop up window will be displayed, fill in basic data for the waypoint you are about to mark: name, waypoint icon...
3. Move the pointer over the map and decide the exact location where the new waypoint will be marked.

- **Save a waypoints file:**



1. On the data tree, select the waypoint file that you want to save.
2. Open the contextual menu on the waypoints file and press 'File > Save waypoints file'.

- **Send to:** Land offers you the possibility to transfer any waypoint file to several destinations (e-mail, Dropbox, GPS, smartphone...):

1. Open the contextual menu on the item you want to transfer.

2. Once open, press 'Send to' and choose where you want to transfer the selected item. If you own a new generation TwoNav GPS, you will be able to choose between transferring via USB cable or Wi-Fi.
3. File transfer will start and may take a few seconds.

IMPORTANT: Transfer options may vary depending on the selected item.

4.2.2 ADVANCED OPERATIONS ON WAYPOINTS

Advanced operations that can be performed on waypoints:

- **Edit the properties of a waypoint**



1. Open the contextual menu of the element that you want to edit.
2. Once opened, select 'Properties' and modify the properties.
3. If you want to keep these modification, save the changes.

- **Edit the properties for all waypoints contained in a waypoints file:**



1. Open the contextual menu on the waypoints file you want to edit.
2. Once open, select 'Properties'.
3. In the properties window select 'Modify all waypoints'.
4. Choose which properties you want to modify. These will apply to all waypoints contained in that waypoints file.

- **Measure the distance between two or more waypoints:**



Distance
8.9 km

1. At the toolbar, click '*Distance measurement*'.
2. Mark the starting point on the map. If no ending point is defined, Land will measure the distance between the starting point and the current position of the mouse.
3. Next, mark another point on the map and so on. Land will update the total distance as you mark more points.

NOTE: *From the vector editor you can move the created points to another location, delete them, or even create the freehand path*

- **Move the location of a waypoint:**



1. Locate the waypoint you want to move at the data tree.
2. Drag and drop the waypoint from the data tree to the exact location on the map window where you want to place it.

- **Delete a waypoint:**




1. At map window, open the contextual menu at the waypoint you want to delete.
 2. Select '*Delete waypoint*'.
- **Add associate files to waypoints:** Waypoints can have associates files such as images, sounds, texts... when simulating your itineraries, associated files will pop up on the screen as references. Check the associated files of your waypoints from the data tree.




1. Open the properties of a waypoint.
2. Select the category 'Associated' and link the file that you want to associate.
3. Rich-formatted *.HTML texts can also be associated and displayed on-screen using certain HTML tags (font size, font colour, title levels, text in bold, text in italics, text underlined, background colour, text alignment, attached images...).

- **Move a single waypoint to another existing file:**



1. From the data tree, drag and drop the waypoint to the file where you want to assign it (another waypoints files, routes or tracks).
2. By doing this the waypoint will be removed from the original file and assigned to the new file.

- **Delete the list of waypoints in a waypoints file:** By pressing 'Reset' at any Active Waypoints File (AWF), you will delete all the waypoints of that specific active file.



1. Open the contextual menu on the waypoints file you want to edit.
2. Once open, select '*File > Reset*'.

4.3 ROUTES




Land classifies courses into two types, depending on their use:

- **My activities:** Tracks recorded directly with your GPS. Displayed with an activity is the icon for the sport you had set on the device during the outing (hiking, mountain bike, road bike, trail running...). Check the list of activities available from '*Data tree > My activities*'.
- **Routes:** Tracks obtained from other sources (recommended by a friend or downloaded from the internet). Check the list of routes available from '*Data tree > Routes*'.


Types of routes

There are different types of routes according to the activity being performed and the path to destination:


- **Defined path routes:** Routes highly detailed from start to end where the path to follow is drawn step by step. This type of route is commonly used in activities where you must follow an outlined itinerary without deviating (itineraries in the mountain, bicycle routes...). Generally, waypoints in the route are generated by a time interval.



- **Free path routes:** Routes with no defined path based on reaching waypoints no matter which path is followed to reach these points. This type of route is commonly used in activities where it is not possible to reach an objective directly (maritime navigation, aerial activities...). In these activities, the main objective is to reach the next point, being the user who decides what path to follow according to the circumstances, usually the shortest path.



Land can open the following route formats




IMPORTANT: If for some reason, an activity recorded by your GPS device appears under the category 'Routes', you can transfer it to 'My activities' by clicking 'Move to My Activities ". On the other side, press 'Remove from My Activities' if a route from other sources (not recorded by your GPS) appears in the category 'My Activities'.

4.3.1 BASIC OPERATIONS ON ROUTES


Basic operations that can be performed on routes:

- **Open a route:**



1. On the buttons bar, press 'Open route'.
2. Select the route that you want to open.
3. Once opened, the route will be displayed at map window and listed at the data tree.

- **Activities calendar**




Land has a calendar view that shows both activities, routes and waypoints by date of creation, in this way it will be much easier for you to find them.

1. In the button bar, click on 'Calendar'.

2. Double-clicking on an item will open it and center it in the map window.

The items will be displayed with the icon of your sport and distance. If a day has multiple activities, Land will display the value of your accumulated distance (the background will be darker the greater the distance for that day).



By opening the contextual menu you can:

- Activate the accumulated distance values for each week and month.
- Show an extended version of the calendar with several months instead of a single month.

IMPORTANT: Calendar not available in the Mac version of Land.

- **Show a list of all the waypoints contained in a single route:** This window shows you a list containing all the points that make up the selected route. From this window you can carry out several actions on route points.


● Icon	● Name	● Partial Dist. [m]	● Dist. To [km]	● Bearing [°]
🚩	Waypoint 1	77	41	99
🚩	Waypoint 2	47	44	94
🚩	Waypoint 3	17	1,7	24
🚩	Waypoint 4	14	1,4	29

1. At the data tree, open the contextual menu on 'Routes'.
 2. Select 'Points list'.
- **Check the properties of a route:** This window shows you a list of properties of the selected route (some parameters are editable).

Waypoints file	Athens-Istanbul.RTE		LAT	42.464218°N	
Name	Waypoint 1		LON	1.786516°E	
Description	Airport		Coordinates type	Lat / Long	
Icon	WAYPOINT		Datum	WGS 84	
Date	14-12-2016		Degree format	dd.ddddd	
Time	01:50:00		Altitude	2143 m	
Link					


1. At the data tree, open the contextual menu on the route.
2. Select 'Properties'.

- **Zoom to a specific route:** Focus the selected route at map window in just a click.




1. At the data tree, open the contextual menu on the route.
2. Select 'Zoom to it'.

- **Create a new route point by point:**



1. At the button bar, click the 'Create track' button.
2. Once the track editor is displayed, press 'New track'.
3. A pop up window will be displayed, fill in basic data for the track you are about to mark: name, activity type, track colour line...
4. Move the pointer over the map and decide the exact location where the first track point will be marked.
5. Select the location of the second track point and repeat this action until the last point.
6. Once finished, click on 'Finish editing'.

- **Create a new route dragging the mouse:**




1. At the button bar, click the 'Create track' button.
2. Once the track editor is displayed, press 'New track'.
3. A pop up window will be displayed, fill in basic data for the track you are about to mark: name, activity type, track colour line...
4. Move the pointer over the map and decide the exact location where the first track point will be marked.
5. At track editor, press 'Draw track'. Using your mouse, hold down left click and draw the itinerary you want to follow (free hand draw).



6. Once finished, click on 'Finish editing'.


- **Create a new route using a road map:**



1. At the button bar, click the 'Create track' button.
2. Once the track editor is displayed, press 'New track'.
3. A pop up window will be displayed, fill in basic data for the track you are about to mark: name, activity type, track colour line...
4. Move the pointer over the map and decide the exact location where the first track point will be marked.
5. At the vectorial editor, press 'FastTrack'. Arrows will be displayed on each intersection, each arrow indicates a different way to go, choose the path to take on each intersection.




- Repeat the same action on every intersection until you reach destination. You can also draw the whole track at once by pressing 'Control' at the same time that you select your destination. By doing this, Land will calculate the fastest route and generate the whole track from your current position up to the destination at once.



- Once finished, click on 'Finish editing'.

IMPORTANT: To perform this action you must use a vectorial map (*.VMAP)


- View a graph representation of a route:



Show a graphic representation of your routes by clicking 'Show graph' in the button bar. These are the available functions on graphs.


- Guiding Y axis:** Bar serving as moving axis.
- Change data fields on the X/Y axis:** Click the axis that you want to change and select the data field from a list of available data fields to choose from (altitude, speed, heart rate, cadence...).
- Moving graph:** Use 'Zoom' buttons to sections of the graph with more detailed precision (graph scrolling can also be applied by dragging the graph up and down as well as laterally).
- Window zoom:** Set the proportion of the zoom window to zoom in
- Automatic re-center:** Press 'Re-center' button to automatically recenter the graph.

- **Gradate the color of a track:** Show the variation of a selected data field across the itinerary, for example, the altitude value for each of the track points.



1. Select the route you want to analyze.
2. On the button bar, press 'Gradate track color'.

- **Save a route:**




1. On the data tree, select the route that you want to save.
 2. Open the contextual menu on the route and press 'File > Save route'.
- **Send to:** Land offers you the possibility to transfer any route to several destinations (e-mail, Dropbox, Suunto watch, GPS, smartphone...):
 1. Open the contextual menu on the item you want to transfer.
 2. Once open, press 'Send to' and choose where you want to transfer the selected item. If you own a new generation TwoNav GPS, you will be able to choose between transferring via USB cable or Wi-Fi.
 3. File transfer will start and may take a few seconds.

IMPORTANT: Transfer options may vary depending on the selected item.

4.3.2 ADVANCED OPERATIONS ON ROUTES


Advanced operations that can be performed on routes:

- **Edit the properties of a route:**



1. Open the contextual menu of the element that you want to edit.
2. Once opened, select 'Properties' and modify the properties.
3. If you want to keep these modification, save the changes.

- **Measure the distance between two or more points on a route:**




Distance
7.3 km

1. At the toolbar, click 'Distance measurement'.
2. Mark the starting point on the map. If no ending point is defined, Land will measure the distance between the starting point and the current position of the mouse.
3. Then, mark the ending point on the map. If no ending point is defined, Land will measure the distance between the starting point and the current position of the mouse.


NOTE: From the vector editor you can move the created points to another location, delete them, or even create the freehand path

- **Change the order of the waypoints in a route:**




1. At the data tree, open the list of waypoints for your route.
2. Drag the waypoint you want to move up or down to the position where you want to place it.

• **Move the location of a track point in a route:**



1. In the buttons bar, click 'Create/Edit track'.
2. Locate the track point you want to move.
3. Drag and drop the track point from its current position to the exact location on the map window where you want to place it.
4. Once finished press 'Finish editing'.

• **Add track points in a route:**




1. In the buttons bar, click 'Create/Edit track'.

- At the vectorial editor, press 'Add points'. Decide whether you want to add more points at the start or at the end of the route.



- Once you have decided, press the exact location where you wish to create the new track point.
- Repeat this action as many times you need.
- Once finished press 'Finish editing'.

• **Insert intermediate track points in a route:**




- In the buttons bar, click 'Create/Edit track'.
- At the vectorial editor, press 'Insert intermediate points'. Select the track point after which you want to add a new point.



- Press the exact location where you wish to create the new track point.
- Once finished press 'Finish editing'.

• **Move the location of a route:**




X: 0 m
Y: 0 m

X: 0 m
Y: -500 m


1. At map window, open the contextual menu at the track you want to move.
2. Select *'Tools > Move track'* and write the variation of X (abscissas) and Y (ordinates) to adjust the new location of the route.

- **Delete a track point in a route:**




1. In the buttons bar, click *'Create/Edit track'*.
2. At the vectorial editor, press *'Delete points'*. Select the track point you want to delete.
3. The two adjacent track points will be joined in a straight line (this straight line will not contain any points).
4. Once finished press *'Finish editing'*.

- **Invert a route:** In order to display a route in the opposite sense to the default one (the beginning at the end and viceversa).




1. Open the contextual menu on the route.
2. Press *'Tools > Invert track'*.

- **Convert a TRK into a RTE**



1. Open the contextual menu on the route.
2. Press '*Tools > Convert TRK to RTE*'.

- **Convert a RTE into a TRK**



1. Open the contextual menu on the route.
2. Press '*Tools > Convert RTE to TRK*'.

4.3.3 EXPERT OPERATIONS ON ROUTES

4.3.3.1 DOWNLOAD FREE TRACKS




Land offers you the capacity to download all kinds of free tracks located on external Internet servers. This is access to different on-line vendors that will allow you to download tracks for whatever area you want. Follow these steps to open and work with on-line tracks:

1. In the map window, center the map in the area where you want to get a list of available elements.



2. Click on 'Data tree> On-line files' and select any of the suppliers, depending on what you want to download. In this space you will find different suppliers, most of them (TraceGPS, UtagawaVTT, FFCT...) are open providers and give access to their databases, with thousands of tracks available.



3. Land will start looking for available tracks near that position.



4. If an element near your position is found, a list will open with tracks available for the selected area. In it you will see the basic data on the items found in the 2nd line right after the item's name.



5. Select the track you want, download it by double-clicking on it, and, once downloaded, the item will be available in '*Data tree > Open files*'.

4.3.3.2 ACCESSING PERSONAL STORAGE SERVICES




With Land, you can access various storage platforms for private use where you can store and download tracks (virtual clouds or exclusive spaces for customers). These types of accounts require logging in, so you have to have an account in your name to access them. With Land, you can access the following online services without having to exit the program:

- **Suunto Activities:** Virtual cloud available for any Suunto watch, in which to store the activities recorded by the device (<http://www.suunto.com>).
- **IGN Rando:** Meeting point created by the Institut Géographique National de France (IGN), where you can download itineraries and landmarks for any location in the country (<http://www.ignrando.fr>).
- **OS Maps:** Multiplatform service (app and website) of the British Ordnance Survey that lets you access maps, plan routes and record itineraries in real time (<http://www.ordnancesurvey.co.uk>).
- **Komoot:** Very popular application to plan and analyze activities on a computer and smartphone. You will be able to check and download your available routes at Komoot account. Your new activities will be uploaded to both Komoot (<http://www.komoot.com>) and TwoNav's GO Cloud (<http://go.twonav.com>).
- **Dropbox:** Free generalised storage that can be synced with a computer and smartphone (<http://www.dropbox.com>).

Follow these steps to open and work with any of these online accounts:

1. Click on '*Data tree > On-line files*' and select the account you want to access.



2. Enter your login credentials (username and password).



3. Next, Land will display the entire list of activities stored in your account. To open any of them, simply double click and, once downloaded, your activities will be available from 'Data tree> Open files'.



4.3.3.3 IMPORT TRACKS

Land opens standard track formats without problems but some tracks may not be directly compatible with Land because of their format. Information may be missing to fully open the track. In order to correct these errors and import the tracks to Land, proceed as follows:

1. Select 'Main menu > File > Import track'.




2. Select the track that you want to open. Land allows you to open the following track formats:



3. These kind of files contain plenty of data that needs to be decrypted by Land. You must specify what kind of separation sign does the file uses to list all the data (in this example: a comma “,”). If you do not specify the separation sign, Land will understand that each line in the document is one single value and will fail to import the track.


, (comma) ; (semicolon) tab space

4. Once separated, assign what kind of data is each column referring to (in this example: the first column represents X coordinates, while the second one represents Y coordinates). If you do not assign the concept for each column, Land will fail to import the track.




5. Check all the default information included in your track. Modify any information that you want to change. Once modified, the newly imported track will contain this new information:

- **Projection:** All maps are approximate representations of the surface of the earth on a flat surface. The creation of any map uses a method that associates each point on the earth’s surface with a point drawn on a map. Different types of cartographic systems are used to make this association. There are several different types of cartographic projection that are classified depending on the areas they cover. Choose the most suitable projection for the track that you are working with:




UTM
Albers



Lat./Lon.
BGN

Mercator
Lambert

- **Datum:** Datums are used to translate the positions of elements (waypoints/routes) to the exact position on the earth. Datum systems are needed because the earth is an imperfect ellipsoid. Choose the most suitable datum for the track that you are working with:



Datum A **NAD83**

Datum B **ED50**

WGS84 **NAD27**

OSGB36 **PSAD56**


- **Advanced unit options:** Choose the units that you use to write the deviation of the location of the track on the X, Y and Z axels:

km
fm

m
mi

ft
nm

6. Assign a name for the newly imported track and save it.



7. Once stored, you will be able to start working with the new track.


4.3.3.4 CREATE TRACKS WITH VARIANTS

A track can have different path alternatives to follow. That is, for a single track, you can have several variants, for example, the longest path and the shortest path, a shortcut or an optional visit to a point of interest.

Creation of variants

To create variants on a track, follow these steps:

1. Open the track you want to edit.
2. In the button bar, click the 'Create/Edit track' button.
3. Open the context menu at the point where you want to start the diversion and press 'Create deviation'.



4. Next, create the variant track segment point by point, using the usual vector editor tools.
5. Repeat this action as many times as necessary.




6. Once finished, press 'Finish editing'.


Active variant selection

Once a track with variants has been created, you must select which variant is active. You can do it in different ways:

- **From the deviation icon:** Double click on the detour icon in the data tree or on the map window.




- **Clicking on the inactive variant:** Double click on the inactive variant in the data tree or on the map window.



4.3.3.5 SEPARATE AND UNIFY TRACKS

Use the following tools to modify the course of the tracks:


- **Define a new starting point for a track:** Sometimes the trajectory of a track is correct, but you may need to set another starting point. Instead of re-drawing the whole track again, press 'Start point here' at the exact location where you want the track to start and Land will unite the rest of the track.



- **Separate a track into two tracks:** In order to cut a single track into two different tracks, select the exact location where track will be divided in two parts and press 'Cut track here'.



- **Separate a track into several tracks:** In order to cut a single track into different tracks, select this option, and chose the way to divide it:



- **Separate tracks selecting the number of points per track:** Land will divide the track into tracks of the same number of points.
- **Separate tracks on stopped points:** Each track will start on a stopped point and last until the following stopped point is detected, then, a new track will be created.
- **Separate tracks using track laps:** Laps are equal divisions of the track split based on a default interval set by you (every kilometer, every hour... or according to your needs).

- **Unify several tracks:** This option allows you to join several tracks together into one single track. The last point of the first track will be joined to the first point of the second track and so on.




NOTE: It is highly recommended that before you start editing a track you load a 3D relief so that altitude values will be stored on the track. You can also assign altitude values using 'Calculate land altitude for each waypoint of a track' function.


4.3.3.6 CORRECT TRACK POINTS

Expert operations that can be performed on track points:


- **Delete the stopped points of a track at start/end:** Track will omit the repetitive points from the beginning and the end where you stopped before and after recording the track.



- **Delete the aberrant points of a track:** Points deviating excessively from the track will be considered errors, and so deleted.



- **Reduce the number of track points:** Track will be drawn by keeping the shape of the original track but according to the number of points that you introduce.




- **Assign time/speed to the points of a track:** Determine a time for departure and a constant speed so that Land will calculate the estimated time of arrival for each point in the track.

09:30:15

50 km/h

- **Calculate land altitude for each track point:** If you have a 3D relief map loaded (*.CDEM file), Land will assign to each point of the track its altitude considering the information of the loaded relief map.















- **Import pulse data from another file to a track:** This option allows you to incorporate the pulse readings obtained by another instrument to the track.

4.3.3.7 TRANSFORM A TRACK INTO E-ROADBOOK



Land has developed a new concept of navigation by providing you a brand new tool to have fun and enjoy the nature: e-Roadbooks. A roadbook is a diagram tool commonly used by rally co-drivers and walkers that help them to navigate uncertain terrains. Traditional roadbooks contain several pages of information such as charts, GPS coordinates, written instructions, manoeuvres...

  Natural Park of Las Salinas.TRK	  Natural Park of Las Salinas.BTRK
 Start	 Start
 Arrival	 Turn RIGHT at the beach
	 Turn LEFT on a wooden bridge
	 Turn RIGHT at the tower
	 STRAIGHT on the main track
	 Arrival

e-Roadbooks, contain all this information in digital format with no need to read indications in a book, you GPS will display all manoeuvres on the screen. Convert your excursions into a big challenges, or even turn them into a funny game in harmony with nature... In order to create an e-Roadbook you need several essential tools:

- **A track**
- **The book where items are stored with the images and descriptions**

Land can open the following e-Roadbook formats:



Create an e-Roadbook

Follow next steps to create an e-Roadbook file using Land software:

1. Open the track file.
2. At the button bar, click the '*Create/Edit track*' button.
3. Press any of the track point where you want to create an e-Roadbook point. Once selected, press '*Add e-Roadbook point*' at track editor.



4. A pop up window will be displayed, fill in basic data for the e-Roadbook point you are about to mark: name, icon...
5. Repeat this action for each e-Roadbook point that you want to highlight.




6. Save the resulting file in *.BTRK format.

IMPORTANT: Do not delete the e-Roadbook in *.TRK format since the resulting *.BTRK is not editable. If you want to change any parameter, modify the *.TRK file and save it again in *.BTRK format.

Edit an e-Roadbook

Follow next steps to edit an e-Roadbook file using Land software:

1. Open the track file.



- Once opened, open its contextual menu and select 'Edit > Edit e-roadbook'. A new window will appear containing all the e-Roadbook points of the track.

• Time	• Icon	• Dist.[m]	• Croquis	• Description
1 09:29:38	P	0		Start from the parking, at the roundabout take the exit that leads between the hotels to the beach.
2 09:32:59	➤	220		Turn RIGHT at the beach.
3 09:52:00		525		Follow the sand track that runs parallel to the hotel until the end of the beach.

- Now you can edit the e-Roadbook points with relevant information:
 - Description:** Write important manoeuvres, information about monuments, notable facts...
 - Croquis:** Associate image showing navigation signs for an easy orientation.

IMPORTANT: To associate images you should edit, cut and save them using a suitable format (*.BMP) and size (128x128 pix.), so that they can fit TwoNav interface. Search for the right image editor to edit pictures.

- If you wish, add files to the e-Roadbook points using one of these methods:
 - Drag files from Windows/Mac explorer:** Keep the left mouse button pressed on the file and drag it to the e-Roadbook point.
 - Drag files from internet browser:** Drag them directly from browser. Just drag the image to the e-Roadbook point at the data tree.
 - Add them manually:** From 'Associated' section at the e-Roadbook point properties.
- Repeat this action for each e-Roadbook point that you want to highlight.

6. Save the resulting file in *.BTRK format.

IMPORTANT: Do not delete the e-Roadbook in *.TRK format since the resulting *.BTRK is not editable. If you want to change any parameter, modify the *.TRK file and save it again in *.BTRK format.

NOTE: e-Roadbook points have a round shape unlike waypoints that have a square shape.

4.3.3.8 SIMULATE A TRACK



Land features a simulator that will help you to prepare your adventures as if you were there. Move around the location as if you were flying a helicopter. Land can simulate one or several tracks at the same time. The animation can be displayed at real speed (same speed track was recorded) or it can be accelerated.

Start a simulation

In order to animate one or several tracks from the beginning, proceed as follows:



1. Open the track or tracks that you want to simulate.
2. Click 'Play' at the buttons bar.
3. Simulation will start up from the beginning of the track.


You can also animate a track from a certain point (for example, from the middle of the track):



1. Open the track or tracks that you want to simulate.
2. At map window, open the contextual menu on the point from where you want to start the animation and select 'Play here'.
3. Simulation will start up from the point you have selected.

Once you are navigating a track you will see the difference between an active track and the rest of the tracks, the active track will be represented using a different color and a notable thickness compared to the rest.




IMPORTANT: Tracks created with Land do not contain time nor speed data, so these tracks cannot be simulated unless you assign a time reading for each point of the track. In order to assign time and speed press 'Assign time and speed'.





Manage a simulation


Once the animation starts, an additional buttons bar will appear. Manage the simulation using the following buttons:





-  **'Play':** Starts up the animation.
-  **'Stop':** Stops the animation.
-  **'Pause':** Freezes the animation without stopping it.


- 


'Fast forward': Accelerates the animation.
- 


'Rewind': Runs the track quickly in the other direction.
- 


'Re-center map': Viewing screen is re-centered to your current position.
- 


'Center map in current GPS position'
- 


'Do not move the map'
- 


'Show more map in front': Your current position will be located at the lowest part of the screen so you will see more map ahead of you.
- 


'Center map when it arrives to 10% of the screen border': Your position will only move 10% away from the centre of the screen because when that happen the map will automatically centre on your current position.
- 


'Orient map': North up (map is always facing the north) or Track up (map rotates to follow the direction of the track always up).
- 


'Record track': *'Triplog'* is the command allowing you to manage the recording of your itinerary. Possible states: recording, paused or stopped.
- 


'Mark waypoint': Create a new waypoint on your current coordinates.
- 


'Automaps': Land opens the best map based on your current position automatically.
- 


'Variable ring': Add more rings around the position. Define the radius of the inner ring and the number of successive rings which will be equidistant from the first inner ring.
- 

'Fixed ring and parallels': A circumference encircling the position will be drawn.
- 

'View velocity and acceleration vectors': Three vectors will indicate your speed, your tangential and normal acceleration.
- 















'View turning radius': A circumference is drawn representing the course that you will follow if you continue with the same turn radius.
- 

'Screenshot': Create an image file of the current content shown at map window.
- 

'Capture video': Create a video file of the current content shown at map window.
- 

'View navigation window': A data page with multiple real-time fields will be displayed.



	'Zoom +'
	'Zoom -'
	'Fast elevation' : Increase the altitude of the helicopter (you will be moving helicopter in that direction, your view will not move).
	'Fast descent' : Reduce the altitude of the helicopter (you will be moving helicopter in that direction, your view will not move).
	'Top right elevation' : Increase the altitude of the helicopter at the same time that you move the helicopter to the right (you will be moving helicopter in that direction, your view will not move).
	'Top left elevation' : Increase the altitude of the helicopter at the same time that you move the helicopter to the left (you will be moving helicopter in that direction, your view will not move).
	'Down right descent' : Reduce the altitude of the helicopter at the same time that you move the helicopter to the right (you will be moving helicopter in that direction, your view will not move).
	'Down left descent' : Reduce the altitude of the helicopter at the same time that you move the helicopter to the left (you will be moving helicopter in that direction, your view will not move).
	'Move right' : Move the helicopter to the right (you will be moving helicopter in that direction, your view will not move).
	'Move left' : Move the helicopter to the left (you will be moving helicopter in that direction, your view will not move).
	'Turn up' : Move your view inside the helicopter up (you will be moving your view in that direction, helicopter will not move).
	'Turn down' : Move your view inside the helicopter down (you will be moving your view in that direction, helicopter will not move).
	'Turn right' : Move your view inside the helicopter right (you will be moving your view in that direction, helicopter will not move).
	'Turn left' : Move your view inside the helicopter left (you will be moving your view in that direction, helicopter will not move).

NOTE: You can also change the functions of this menu by opening the contextual menu on it and selecting **'Customize'**.


IMPORTANT: Land also allows you to pilot the simulator using a joystick. This tool allows you to travel around the 3D scenery in a more intuitive and realistic way.

4.3.3.9 ANALYSE SUBTRACKS

Land allows you to subdivide a track into a single portion called ‘*subtrack*’. By doing this you can work more closely on that particular stretch, as well as analyse data and statistics with greater precision.

Define a subtrack

In order to define a subtrack, reproduce the following steps:



1. At map window, open the contextual on the track point where you want to start the subtrack and select ‘*Subtrack > Start subtrack here*’.
2. Reproduce the same step to define the ending point of the subtrack: at map window, open the contextual on the track point where you want to finish the subtrack and select ‘*Subtrack > End subtrack here*’.
3. The newly defined subtrack will be highlighted from the rest of the track.

IMPORTANT: In case you made a wrong selection, press ‘*Subtrack > Unselect subtrack*’ to mark the subtrack again.

Subtrack analysis

Take the chance to analyse in more detail the subtrack, Land will offer you several statistics and relevant information. Follow these steps to analyse in more precision the subtrack that you just defined:



Date	01-01-2010	Arrival time	05:01:58
Duration	01:33:17	Linear distance	4,551 km
Max. vertical speed	60 m/min	Projected distance	15,55 km
Min. vertical speed	-83 m/min	Distance with altitudes	15,64 km
Vert. speed average	-9 m/min	Maximum altitude	2018 m
Maximum altitude difference	863 m	Minimum altitude	1155 m
number of turns	14.0	Height departure-arrival	-837 m
Left turn number	8.0	Trip ascent	121 m
Right turn number	6.0	Trip descent	967 m
Departure time	03:28:41	Height above departure	22 m


1. At map window, open the contextual on the subtrack that you just defined and select 'Subtrack > Subtrack analysis'.
2. A new window will appear showing the results of the analysis (duration, speed, altitude, distance, ascent, descent, slope...).

IMPORTANT: Remember that you can also readjust the area covered by the subtrack at any moment by setting a new starting or ending point.

NOTE: You can store the subtrack that you just defined independently from the rest of the track, press 'Subtrack > Save subtrack'.

Additional operations on subtracks

To eliminate a subtrack follow these steps:



1. At map window, open the contextual on the subtrack that you just defined and select 'Subtrack > Delete subtrack'.
2. The points of the subtrack that you have selected will be eliminated and the two adjacent points of the subtrack will be joined in a straight line (this straight line will not contain any track points).

4.3.3.10 ANALYSE LAPS

Land allows you to subdivide a track into several portions called 'laps'. By doing this you can work more closely on each stretch, as well as analyse data and statistics with greater precision.




When practising outdoor activities, most of the users record a single track because it is very difficult to generate periodic reports about their performance. Land offers you the possibility to generate these periodic reports at home and get a detailed analysis of the track by virtually dividing it into different laps (portions of the track) either by distance, time or aerial conditions.

Laps are equal divisions of the track split based on a default interval set by you (every kilometer, every hour... or according to your needs). The division of the track in equal laps is very useful to analyse all kinds of information and achieve a better performance lap after lap (mainly designed for training purposes).

Define laps automatically

In order to divide your track into laps automatically, reproduce the following steps:



1. At map window, open the contextual on the track and select 'Laps > Autolaps'.
2. Select which parameter do you want to use to virtually divide the track into laps:
 - **Original laps:** No division will be shown (track will consist of one single lap).
 - **Autolaps by distance:** Track will be divided into laps of 1 kilometer (1000 meters).

- **Autolaps by time:** Track will be divided into laps of 1 hour (3600 seconds).
 - **Thermals and transitions:** Aerial tracks will be divided into thermals and transitions automatically.
3. If you want to increase the interval used to divide track into laps, change it at 'Main menu > File > Options > Track'.
 4. Land will automatically calculate each lap according to your previous settings and laps will be highlighted on the track. Once you have reached the default value, a brand new lap will start lasting the same as the interval value.

Define laps manually

In order to divide your track into laps manually, reproduce the following steps:



1. At map window, open the contextual on the track point where you want to start a new lap and select 'Laps > Change of lap here'.
2. If you want to keep on dividing the track into more laps, reproduce the previous step once again.
3. The newly defined laps will be highlighted on the track.

IMPORTANT: Remember that you can also readjust the area covered by a lap at any moment by setting a new starting or ending point, press 'Move lap start to this point' or 'Move lap end to this point'.


Lap analysis

Take the chance to analyse in more detail the laps, Land will offer you several statistics and relevant information. Follow these steps to briefly analyse all the laps:

● Lap number	● Projected distance [km]	● Accum.climb [m]	● Mean Speed [km/h]	● Pace [min/km]	● Duration	● Slope [%]
1	1.000	49	15	4.2	00:04:10	1.8
2	1.000	11	16	3.9	00:03:49	1.2
3	1.000	0	18	3.5	00:03:25	0.1
4	1.000	7	17	3.6	00:03:36	0.6


1. At map window, open the contextual on the track and select 'Laps > Lap analysis'.
2. A new window will appear showing the results of the analysis (projected distance, accumulated climb, mean speed, pace, duration, slope...).

You can also analyse all laps at once using the graph representation of Land:



1. At map window, open the contextual on the track and select 'Graph'.
2. A new window will appear showing a graph representation of the track divided into laps.

Follow these steps to analyse a specific lap in more precision:



Duration	00:05:53
Projected distance	1,006 km
Mean speed	10 km/h
Trip asc.	0 m
Trip desc.	162 m
Maximum altitude difference	-164 m
Track Bearing	042 °
Max. vertical speed	60 m/min
Min. vertical speed	-120 m/min
Vert. speed average:	-28 m/min
Initial coordinates	643
Final coordinates	754

1. At map window, open the contextual on the lap that you want to analyse and select 'Laps > Lap properties'.
2. A new window will appear showing the results of the analysis (projected distance, accumulated climb, altitude, bearing, line color, line thickness, line type...).

NOTE: You can store any of the laps that you just defined independently from the rest of the track, press 'Laps > Save lap'.


Additional operations on laps

Once laps have been defined, you can also perform the following operations on them:

- **Eliminate a lap:** The selected lap will be eliminated and the two adjacent points of the lap will be joined in a straight line (this straight line will not contain any track points).

- **Unify contiguous laps:** All contiguous laps are merged into one lap. If two laps are separated between them (not joined), they will remain as different laps.
- **Unify all laps:** All laps are merged into one lap even if two laps are separated between them (not joined).

4.3.3.11 EXPORT A TRACK REPORT




Land offers you the possibility to export a detail report of your tracks. This kind of reports contain all the basic information that you need to know for any outdoor activity:

- **Activity rating:** Sport, difficulty, terrain, circular/lineal...
- **Most important data fields:** Day of the activity, departure time, duration, accumulated climb, mean speed, distance...
- **Graphic representation of the track**
- **Additional photographs**

Once created, you will be able to share the track report with your friends on social media, send it by e-mail or even print it.


4.4 SETS



A set is a type file where you can store different objects in a single file:

- **Waypoints**
- **Routes**
- **Maps**

Sets are a very useful tool if you usually open the same maps/waypoints/routes. Use sets to avoid having to open each of these files one by one.



See your list of available sets from 'Data tree > Sets'. Land can open the following set formats:



IMPORTANT: Files contained in a set will be displayed twice in the data tree, at branch 'Sets' as well as each type of file on their respective thematic branches.

4.4.1 BASIC OPERATIONS ON SETS


Basic operations that can be performed on sets:

- **Open a set:**



1. On the data tree, open the contextual menu at the category 'Sets'.
2. Select the set file that you want to open.
3. Once opened, files contained in a set will be displayed at map window and listed at the data tree (each type of file will be displayed on their respective thematic branches).

- **Create a new set:**



1. Press 'Main menu > File > New > New set'.
2. The newly created set will contain no files.
3. Open all the objects that you want to store in the set (map/waypoints/route).
4. From the data tree, drag and drop the objects that you want to store in the newly created set.

- **Save a set:**




1. On the data tree, select the set that you want to save.
2. Open the contextual menu on the set and press 'File > Save set'.

- **Send to:** Land offers you the possibility to transfer any set to several destinations (e-mail, Dropbox, GPS, smartphone...):
 1. Open the contextual menu on the item you want to transfer.
 2. Once open, press 'Send to' and choose where you want to transfer the selected item. If you own a new generation TwoNav GPS, you will be able to choose between transferring via USB cable or Wi-Fi.
 3. File transfer will start and may take a few seconds.

IMPORTANT: Transfer options may vary depending on the selected item.

4.5 GO CLOUD



For being a Land user, you have the right to have a personal storage area on GO. The GO Cloud is a virtual storage space where you can save your activities and keep them synced in all your devices:

- **Land**
- **TwoNav GPS**
- **Smartphone**

- **Go.TwoNav.com**

Activate auto sync on Land and every time a new route is recorded or created, it will be wirelessly and automatically uploaded to the cloud without having to upload it manually. Use the GO Cloud as a virtual repository in which to store a history of all your files safely and reliably. In addition, you can also access all activities stored at GO cloud from Land and download any of them. Save time and effort by letting GO take care of keeping your devices updated and ready to use.



Plus, thanks to the GO web (<http://Go.TwoNav.com>), you can use the internet to access, from anywhere in the world, all the activities available in the cloud. Even far from home, you'll be able to check the path of an activity that you want to repeat, or analyse the most significant stats for any of your routes. And if you want, you'll also be able to download them or share them with friends wherever you may be.


4.5.1 SYNCING

4.5.1.1 SYNCING IN LAND




Once you finish planning your next outings, Land will upload them automatically to the GO Cloud. And if you've turned on auto sync on your GPS device, when you get home after an activity, Land will automatically download it from the cloud without having to connect the device using cables. You'll be able to start analysing it in less than a minute. Follow these steps to enable syncing between Land and the cloud:

1. Turn on auto sync with the GO Cloud from '*Buttons bar > GO cloud*'.



















- From then on, your new activities will be automatically uploaded to the GO Cloud. And if there are more activities on the cloud, they'll be downloaded to your computer.



IMPORTANT: If you delete a file, you can decide whether to delete it only from your computer, or from the GO Cloud and all other devices that are synced with the cloud as well.

You can see the sync status of each file in the list of items:

  London.trk  441 m  67,13 km	SYNCHRONIZING
  London.trk  441 m  67,13 km	UPDATED
  London.trk  441 m  67,13 km	WAITING
  London.trk  441 m  67,13 km	ERROR

NOTE: You can force instant syncing if desired by going to 'Buttons bar > GO cloud > Synchronize Now'. Your device will then be automatically synced with the GO cloud.


4.5.1.2 SYNCING ON TWONAV GPS



IMPORTANT: This synchronization is only available in new generation TwoNav GPS which feature Wi-Fi technology. To know more about them visit <http://www.TwoNav.com>

TwoNav GPS devices and the GO Cloud sync via Wi-Fi. When you start or finish an activity, as soon as the device can log into a Wi-Fi network, your activity will be downloaded or uploaded automatically to the GO Cloud without any actions required on your part. Follow these steps to set up Wi-Fi access on any TwoNav GPS device:





1. Go to 'Main menu > Settings > Wi-Fi'.
2. Select 'Scan' to see the Wi-Fi networks available.
3. Select the network you want to connect to (and enter the password if necessary).



Once connected to the Wi-Fi network, turn on syncing between your device and the cloud:

1. Log in with your user account from 'Main menu > Settings > My accounts'.
2. Turn on auto sync with the GO Cloud from 'Main menu > Settings > GO Cloud'.
3. From then on, your new activities will be automatically uploaded to the GO Cloud. And if there are more activities on the cloud, they'll be downloaded to your device.

You can see the sync status of each file in the list of items:

	London.trk	SYNCHRONIZING
	London.trk	UPDATED
	London.trk	WAITING
	London.trk	ERROR


NOTE: You can force instant syncing if desired by going to 'Main menu > Settings > GO cloud > Synchronize Now'. Your device will then be automatically synced with the GO cloud.

4.5.1.3 SYNCING ON WEB




Although one of the above methods is recommended for syncing your files, you can also upload routes manually to the GO Cloud, that is, one by one. It's slower and more involved, but it can be useful if you're having connection problems. Follow these steps to upload your activities manually to the GO Cloud:


1. Connect your device to the computer via USB.
2. Access <http://Go.TwoNav.com> and log in using your user account.
3. Go to 'My activities' (if you want to upload a track you recorded yourself) or 'Routes' (to upload a route from another source, whether downloaded from the internet or shared by a friend).




4. Then press 'Add an activity' or 'Add a route' and browse to the file in your computer that you want to upload to the GO Cloud.



5. From then on, your new activities will be automatically uploaded to the GO Cloud and synced automatically on your other devices.
6. Once uploaded, your new activities will be safely stored on the GO Cloud and you'll be able to see a list of all the other activities you have available on the cloud.




4.5.2 DATA ANALYSIS



In addition to storing your uploaded activities and syncing them with other devices, with GO you'll be able to check all the activities available on the cloud. Now you won't have to wait until you get home to analyse your last outing. Access <http://Go.TwoNav.com> and click on any route to:

- See any itinerary laid out on a map of the area.

- Analyse multiple data fields recorded on the track (time, total distance, average speed, pace, altitude, ascent...)
- Check altitude and speed graphs
- Add a description to each activity
- Sort activities by type of sport
- Use a time filter to manage activities (week, month and year)
- Download a file for the activity (*.TRK or *.GPX format)
- Share the activity by e-mail or on social media (Facebook and Twitter)



4.6 ADDITIONAL FEATURES

4.6.1 WIKILOC



Land offers you the possibility to download all kinds of free data located on <http://www.wikiloc.com>. Follow these steps to open and work with on-line elements such as routes:

1. At map window, center the map in the zone where you want to get a list of available elements.



2. Press 'Main menu > Online > Wikiloc'.
3. <http://www.wikiloc.com> will be launched and will start looking for available content near to that position.






The screenshot shows the Wikiloc interface for a trail titled 'London tour' in West Brompton, England. The trail is marked on a map with an elevation profile below it. The profile shows a maximum elevation of 312 feet and a minimum of -492 feet. The trail length is 15.24 miles. The author is Marc Us, and the trail was uploaded on January 6, 2014.

4. Download as much routes as you want.
5. Open the downloaded routes with Land and start working with them.

4.6.2 GEOCACHING.COM



Land provides all the necessary tools to practice paperless Geocaching, from reading *.GPX files with Groundspeak extensions to the generation of field notes which can be uploaded to <http://www.geocaching.com>. Geocaching is an outdoor treasure hunting game that uses GPS devices. Participants navigate to a specific set of GPS coordinates (the geocache) and attempt to find a container hidden at that location. This container may include a reward for the participant. The result of this experience is to share your geocaching stories on-line and to have fun and enjoy the nature.

  GEOCACHING.gpx	Name: Les Salines	Container: Small	Time: 09:00:00
 La Font de la Cabrassa	Description: Salines	Country: Spain	Altitude: 1125 m
 Coin Hotel	Difficulty: 1.5	Placed by: gespluga	Proximity: 177.1 km
 Les Salines	Terrain: 3.5	Owner: gespluga	Bearing to go: 010 °
	Type: Traditional Cache	Date: 28-03-2008	

Work with geocaching files like as any other waypoints file, although geocaches include extra information comparing to normal waypoints. Among information, you can check notes from other users (*logs*) or even create your own notes.

In order to be fully compatible with paperless geocaching, waypoints' file must contain geocaching extensions providing information about the geocache (description, difficulty, terrain...). Land can open the following geocaching formats:



NOTE: *.LOC files will also be listed when choosing a geocaching destination, but these files cannot be considered as fully compatible with geocaching because they do not include geocaching extensions, so extra information as description or field notes will not be available.


Download geocaches

To easily find geocaches near your current position Land offers you the possibility to search for geocaches inside the database of <http://www.geocaching.com>, follow these steps:

1. At map window, center the map in the zone where you want to get a list of available elements.



2. Press 'Main menu > Online > Geocaching'.
3. <http://www.geocaching.com> will be launched and will start looking for available content near to that position.




4. Download as much geocaches as you want.
5. Open the downloaded geocaches with Land and start working with them (geocaches will be considered waypoints).

Properties of geocaches

Geocaches normally include extra information comparing to normal waypoints: You can see notes from other users or create your own notes.

- **Logs:** Notes from users who previously attempted to find that geocache.
- **Status:** The current state of that geocache for you.
- **Comment:** Further information about status of the geocache.

4.6.3 ANCHOR A POSITION




To anchor a virtual position somewhere is to virtually replace your current position for a new position in the map. Once fixed, information displayed on proximity fields will be based according to the new anchored position, and not on your real position. Moreover, if 'Anchor here' is pinned, options such as 'Re-center' map will be applied to the anchored waypoint instead of your current position.

In order to anchor a position reproduce any of these options:


- **'Map window > Contextual menu > Anchor here'**
- **'Data tree > Item > Contextual menu of waypoint > Anchor here'**

In order to unpin the fixation and restore the current position as the default one, press: 'Unanchor'.

4.6.4 ON-ROAD NAVIGATOR



Land may also act as a GPS in your outdoor activities. Land offers you a working mode that allows you to continue working with the software at the same time that you move around, for example in a car with a laptop. All that you need to do is connect your GPS device to the laptop and start analysing your trips in real time with with full of information about your movements.



**WAYPOINT
NAVIGATION**

ROUTE NAVIGATION

TRACK NAVIGATION

**ON-ROAD
NAVIGATION**

Navigate an itinerary

In order to start navigating with Land follow these steps:

1. Connect your GPS to the computer.
2. If Land recognizes the device, all the information detected by the GPS will be paired with Land in real time during the whole itinerary.



3. Once detected, press 'Main menu > Navigation > Activate GPS' at the tool bar and select your destination:
 - **Navigate towards a waypoint:** Select among the current list of loaded waypoints towards which waypoint you want to navigate.
 - **Navigate towards a route:** Select among the current list of loaded routes towards which route you want to navigate.
4. You will be told which direction you have to go to reach the waypoint.
5. If you are navigating a route, Land will automatically establish the first waypoint as your destination point. Once you have reached this waypoint, the next one will become your new destination, and so on.

Manage a navigation

Once the navigation starts, an additional buttons bar will appear. Manage the navigation using the following buttons:



- 


‘Re-center map’: Viewing screen is re-centered to your current position.
- 

‘Center map in current GPS position’
- 

‘Do not move the map’
- 

‘Show more map in front’: Your current position will be located at the lowest part of the screen so you will see more map ahead of you.
- 

‘Center map when it arrives to 10% of the screen border’: Your position will only move 10% away from the centre of the screen because when that happen the map will automatically centre on your current position.
- 

‘Orient map’: North up (map is always facing the north) or Track up (map rotates to follow the direction of the track always up).
- 


‘Record track’: ‘Triplog’ is the command allowing you to manage the recording of your itinerary. Possible states: recording, paused or stopped.
- 

‘Mark waypoint’: Create a new waypoint on your current coordinates.
- 

‘Automaps’: Land opens the best map based on your current position automatically.
- 

‘Variable ring’: Add more rings around the position. Define the radius of the inner ring and the number of successive rings which will be equidistant from the first inner ring.
- 

‘Fixed ring and parallels’: A circumference encircling the position will be drawn.
- 

‘View velocity and acceleration vectors’: Three vectors will indicate your speed, your tangential and normal acceleration.
- 

‘View turning radius’: A circumference is drawn representing the course that you will follow if you continue with the same turn radius.
- 

‘Screenshot’: Create an image file of the current content shown at map window.
- 

‘Capture video’: Create a video file of the current content shown at map window.
- 

‘View navigation window’: A data page with multiple real-time fields will be displayed.
- 

‘Go to the next waypoint’: When navigating a route you will be heading to the waypoint located after the one you were going to.



'Go to the previous waypoint': When navigating a route you will be heading to the waypoint located before the one you were going to.

Check data page

During your navigations, Land records many interesting data, this information (data fields) is usually very interesting to analyse and compare (speed, height, distances...).

Speed 60 km/h	Route percentage 67%	City London	Chronometer 00:42:19
Altitude 600 m	Maximum speed 84 km/h	Trip ascent 518 m	Dist. to next radar 951 m
Vertical speed 20 m/min	Minimum speed 10 km/h	Trip descent 355 m	Deviation from route 23 m
Bearing 211°	Maximum altitude 749 m	Slope 12%	Sunrise 08:46
Coordinates 42°33.124'N 25°11.234'E	Minimum altitude 0 m	GPS coverage 88%	Sunset 19:05

Data page offers you an additional space where a larger number of data fields are displayed. When opening a contextual menu on a data field, you will find the available functions associated to that field. Data pages can be configured to fit your preferences, customize Land displaying the data fields that you really need.

NOTE: You can also change just one field by opening the contextual menu on it (select 'Fields selection').

IMPORTANT: Get to know more about data fields in Appendix.

Program alarm warnings

During your navigation, Land may alert you when exceeding certain limits defined by you. For example, you can program an alarm to ring when you reach 100 km/h, or when you reach 200 m of altitude.

	Speed	13 km/h		Chronometer	01:21:36
	Altitude	700 m		Dist. to next radar	680 m
	Vertical speed	11 m/min		Deviation from route	129 m
	Bearing	188°		Sunrise	07:23
	Coordinates	36°35.144'N 36°23.444'W		Sunset	18:57

Follow these steps to set your own alarms before you start navigating:

1. At navigation window, open the contextual menu on the data field that you want to associate the alarm to (for example: speed).
2. Select 'Program an alarm' and set a maximum or/and a minimum value for each field. In case you do not fix any value, the alarm will be deactivated with no effects during the navigation.
3. Fix also a warning sound and a repetition interval.

Alarm warnings will be automatically displayed during the navigation on data fields according to the preferences that you previously set.


- **Alarm warning in red:** If you are exceeding the maximum or minimum value.

Configure additional settings of the alarms from 'Main menu > File > Options > Navigation > Waypoint alarm'.

4.6.5 SPEEDCAMS

Land offers you the possibility to update the speedcams of your GPS in just a click, access 'Data tree > Open the contextual menu on the GPS > Update speedcams'.

4.6.6 AMIGOS




'Amigos' ('Main Menu > Online > Amigos') is a location-aware feature developed by Land allowing you to view the current location of your contacts on the map in real time (and viceversa). With 'Amigos' you can interact with friends while using Land software:

- **Add contacts to your list of friends:** Add your friends to your list of contacts using either their e-mail address or mobile phone number.
- **Chat with your contacts**
- **See your contacts on the map:** See the tracks that your friends are currently navigating. Press the title of the track and you will be able to check out the 'Trip review' of the track right up to this moment.
- **Navigate where your friends are:** Find the friend that you want to reach, open its contextual and press 'Navigate' button.
- **Interval of data refreshing automatically:** Movements on map will be more constant as interval refresh is lower.
- **Customize your own profile:** Set your nickname, a short description about yourself, a photo... All this information will be displayed at the list of contacts of users.

In order to disconnect 'Amigos' open the contextual menu on your profile name and press 'Unregister':

- **Unlink this device:** Log out the session on your current device.
- **Delete user account:** Completely eliminate your 'Amigos' account.

4.6.7 NIGHT VIEW



This function darkens the screen so that viewing becomes more comfortable in situations with poor lighting. To switch between modes you just have to go to 'Main menu > View > Night view'.


5 PREFERENCES

5.1 GENERAL

Functions accessible from: 'Main menu > File > Preferences > General'

'General' enables extra functions that are not frequently used and could add unnecessary complexity to the software:

- **Language:** Set the language of the application. Interface texts and indication voices will use the same language.




- **Product mode:** Land has 2 modes of use depending on the type of activity you practice.



- **Land:** Preparation and analysis of ground activities (default mode).

- **Air:** Preparation and analysis of aerial activities. Land adapts its functions to the language and needs of the aerial world (thermals, transitions, height graphs, landing zones...).
- **Start:** Set how the application must be launched.



- **Reload data when restarting:** Land loads you the same data which was already opened last time application was closed.
- **Start Land when TwoNav GPS is plugged to computer:** When a TwoNav GPS device is connected to computer, Land will be launched automatically so that you can start working with the recorded data.
- **Check for new versions at start:** Land checks if there are new versions of the software each time the application is run. If a new version is available, you will be able to download and install it.



- **Auto save:** Every time you edit a track or make changes to your waypoints, these changes will be saved in real time without the need to manually press 'Save'.
- **Default configuration:** Re-establish all the settable parameters to their initial status. All the options that have been manipulated will be modified and set as default.



5.2 VIEW

5.2.1 GENERAL

Functions accessible from: 'Main menu > File > Preferences > View > General'

Maps displayed at map window can be fully customized according to your needs:


- **Mouse wheel direction:** Depending on the software, the direction of the mouse wheel may be different (for example: when using 'Zoom+'/'Zoom-' function). Land offers the possibility to define by default the direction that you want to use: forward or reverse direction.



- **Scale:** Show/Hide scale value at map window.



- **Use mouse scroll arrows in window borders:** When approaching the borders of the map, move the map manually or scrolling it automatically.



- **Show scrolls bars:** Show/Hide both scroll bars at map window.



- **Map with inertia:** When managing maps, Land can display an inertia effect to scroll maps faster or softer.
- **Friction to inertia:** Set the value for inertia effect.

- **Show compass:** Show/Hide compass at map window.



- **Draw map corners:** Land draws at the map window the frames for all loaded maps.



- **Draw reliefs corners in 2D view:** If 2D view is enabled, Land draws at the map window the frames for all loaded reliefs.




- **Show POIs on map:** Show/Hide POIs at map window.



- **Background color:** Set the background color of the map window according to your preferences.



- **Anti-aliasing:** Draw smoother lines in vectorial maps (*.VMAP).



- **Use OpenGL in 2D:** 2D maps can be represented more fluid and faster if OpenGL graphic accelerator is enabled.
- **See Hint for objects on screen:** If 'Hint' function is enabled, when clicking any point on the map window, Land will show useful information of the specific point that you selected.



- **Hint fields:** This function can be fully customized according to your will: add or exclude the data fields that later on will be displayed on the map window: map information, coordinates of this position, bearing to this position, distance to this position, altitude of this position...
- **Configure status bar:** Status bar can be configured to fit your needs, display the data fields that you really need.

42°27.998'N 001°46.519'E 27-09-2001 09:27:09 2263 m 3,2 km/h 0,878 km 13,1 % 0 W WGS 84

5.2.2 RELIEF


Functions accessible from: 'Main menu > File > Preferences > View > Relief'

Land may use elevation maps (grids with height information) to assign altitude data on maps/waypoints/routes and then be able to display them dimensionally.


- **Draw relief:** 2D maps can display relief shadows.



- **Draw relief in 3D view even if raster map is loaded:** If 3D view is enabled, relief map will be displayed together with the rest of raster maps.





- **Draw relief with shadow:** Relief will be displayed in a clearer and attractive way, as it features shadow simulations enhancing thus the variations of the ground.





- **Flat color steps:** Instead of using a fading color, just one plain color for each height interval will be used.




- **Draw level lines:** Altitude lines are drawn.



- **Relief colors:** Select between different hypsometric colors to display your maps: high contrast colors, low contrast colors, default palette of colors...



- **Customize:** Define the color and the height intervals that will be displayed in relief maps.




5.2.3 ANIMATION


Functions accessible from: 'Main menu > File > Preferences > View > Animation'

Before you start analysing tracks, define according to your preferences what kind of track simulation will be displayed at map window:

- **Animation speed:** Define the speed of the track animation in relation with the real speed of the track.
- **Animation mode:** Choose between different ways to display the track and the position icon during your animations:




- **Move icons over the track:** Full track will be represented and icon will move along with the track representation.
- **Do not draw tracks during the animaton:** Icon will move along the path of the track, but no track is represented.



- **Move icons creating the track:** Land will only draw the part of the track that has been covered (the track ahead will not be drawn).
- **Move icons hiding the track:** Land will only draw the track ahead (track that has been covered will not be drawn).

- **Time mode:** Choose between different ways to play track simulations:



- **Use track times for animation:** Animation will keep the original speed of the track, using time of the track points.
- **Start all tracks at the same time:** Animation will be played for all loaded tracks in Land.

- **Animation pointer:** Icon that displays position on the map in 2D view.



- **3D animation pointer:** Icon that displays position on the map in 3D view.



- **Scale for 3D icons:** Define the size of the icon that displays position on the map in 3D view.

5.2.4 GRIDS


Functions accessible from: 'Main menu > File > Preferences > View > Grids'

Land features a projection grid that may be useful while working with maps and editions:


- **View projection grid:** Show/Hide UTM projection grid at map window.




- **Color:** Set the color line of the projection grid.



- **Interval:** Set the separation distance to create every new projection line in the grid.




- **Show projection labels:** Show/Hide all distance values in the projection grid.




- **View degrees grid:** Show/Hide latitude/longitude projection grid at map window.




- **Color for degrees:** Set the color line of the degrees in the UTM grid.




- **Color for minutes:** Set the color line of the minutes in the UTM grid.



- **Interval:** Set the degrees of separation in UTM grid.



- **Show Lat/Lon labels:** Show/Hide all degrees values in the UTM grid.




- **Use datum of the primary map:** Land will use by default the datum of the map which has been set as primary.

5.2.5 GRAPHS


Functions accessible from: 'Main menu > File > Preferences > View > Graphs'

Land features a graph representation system that may be useful for to analyse and appreciate the variations of routes while working with maps:


- **To take account the day:** If several tracks are displayed at the same graph, they can be represented differently:
 - **No ignore day:** Chronologically taking into account the day in which they were recorded.




- **Ignore day:** Chronologically taking into account the hour in which they were recorded.



- **X axis:** Set the field that will be displayed at X axis.



- **Configure Y axis fields:** Set the fields that will be displayed at Y axis (you can choose more than one field).



5.2.6 DATA TREE

Functions accessible from: 'Main menu > File > Preferences > View > Data tree'


From the data tree you can manage your maps/waypoints/routes/sets by accessing the different sections. Press on data tree elements in order to activate them or access their sub-menus:

- **Animated data tree:** When managing elements of any list, Land displays an animation effect to easily see in which elements are you working on.



- **'My Activities' and 'Routes' view:** Land classifies the routes into two types according to the use that is going to be given to them:
 - **My Activities / Routes** (default view)
 - **My activities:** Tracks recorded directly with your GPS. Displayed with an activity is the icon for the sport you had set on the device during the outing (hiking, mountain bike, road bike, trail running...). Check the list of activities available from 'Data tree > My activities'.
 - **Routes:** Tracks obtained from other sources (recommended by a friend or downloaded from the internet). Check the list of routes available from 'Data tree > Routes'.
 - **Routes / Tracks**
 - **Routes:** Tracks from any source recorded in *.RTE format. Check the list of tracks available from 'Data tree > Tracks'.

- **Tracks:** Tracks from any source recorded in formats other than *.RTE. Check the list of routes available from 'Data tree > Routes'.
- **Information in lists:** Display more information for listed elements. Extra information will be presented in a 2nd line right after the name of the item. Select the data fields that you want to display.



5.3 MAPS


Functions accessible from: 'Main menu > File > Preferences > Maps'

The way maps are displayed at map window can be fully customized according to your needs:

- **Maximum maps to load:** Set how many maps can be loaded at once at the map window.
- **Maximum cache size:** Set the maximum RAM memory that computer will use to manage maps.


0 = No limitation

- **Maximum memory for map:** Set the maximum RAM memory that will be used for each map.
- **Cache the sections of remote maps in local disk:** When an on-line map is opened, downloaded map sections will be kept locally in the device in a temporal folder (cache memory). By doing this you will be able to use that remote map without internet connection. Land software will keep the map area that you have selected in the device memory.



- **Map cache folder:** Set the folder where map in cache will be saved.
- **Maximum size for map cache folder:** Set the maximum capacity of the folder where map areas in cache will be saved.


- **Show folder structure:** At the data tree, display maps keeping their original folder agrupations or list them without folder agrupations (all maps listed together).




- **Auto-open maps:** Land opens the most suitable map for each situation.



- **Auto-open on-line maps:** Land opens the most suitable internet map for each situation.
- **Auto-open reliefs (*.CDEM):** Land opens the most suitable relief map for each situation (enabled independently from 'Auto-open maps').



- **Auto-open reliefs when edit waypoints/routes:** Land opens the most suitable relief map when waypoints/routes are edited.




- **OSM import profile file:** This file will be used to configure the importation of OSM map files.
- **IMG/MP import profile file:** This file will be used to configure the importation of IMG and MP map files.

5.4 TRACKS


Functions accessible from: 'Main menu > File > Preferences > Tracks'

Tracks displayed at map window can be fully customized according to your needs:

- **Draw arrows over the track:** To easily know its direction.




- **Draw track shading:** Draw a shadow on the tracks to highlight them.



- **Altitude representation:** Set the way to represent the altitude value within '*Altitude representation*':
 - Draw tracks with its own altitude
 - Draw tracks with true and projected altitude
 - Draw tracks with projected altitude
- **Minimum accumulated altitude:** Fixes the minimum altitude to be considered increase of altitude. Altitudes under this value will not be considered increase.

<u>Minimum accumulated altitude:</u>	<u>Current altitude:</u>	→	<u>Increase considered:</u>
5 m	4.7 m		0 m
	<u>Current altitude:</u>	→	<u>Increase considered:</u>
	5.2 m		5.2 m


- **Minimum moving speed:** Set the minimum speed value to consider movement. Speeds under this value will not be considered movement. This value is set by you.



- **Slope calculation distance:** Used to calculate current 'Slope' data field.



- **Autolaps:** Detailed analysis of the track by virtually dividing it in different laps (portions of the track) either by distance, time or aerial conditions.




**NO DIVISION:
ORIGINAL LAPS**

**LAP DIVISION:
BY DISTANCE**

**LAP DIVISION:
BY TIME**

- **Autolaps interval:** Set the default value to create the division of the track in laps. Once you have reached the default value, a brand new lap will start lasting the same as the interval value.
- **Autolaps on map:** Define if you want to display automatic division of track in laps using a uniform color or alternate colors.
- **Track report template:** Set the default template design that Land will use to create track reports.

- **Distance to assimilate waypoint:** Fix a distance to consider a waypoint as near the track. When a waypoint is close enough to a track you can convert it to track point by dragging it to the track.



5.4.1 EFFORT

Functions accessible from: 'Main menu > File > Preferences > Tracks > Effort'



Configure the preferences to automatically calculate estimations related to energy and effort:

- **Energy calculation method:** According to your preferences.
- **Gender:** Information used to calculate other data.
- **Weight:** Information used to calculate other data.


- **Age:** Information used to calculate other data.

5.5 WAYPOINTS

Functions accessible from: 'Main menu > File > Preferences > Waypoints'

Waypoints displayed at map window can be fully customized according to your needs:

- **Active waypoints mode:** Set working mode for Active Waypoints Files:
 - **Basic:** Fixed Active Waypoints File + autoload it at start.
 - **Advanced:** First waypoint opened will be the active and it will not be autoloading at start.
- **Waypoints font:** Type of font for waypoints.



- **Symbols for waypoints:** Default set of icons that can be used for waypoints.



- **Symbols for e-Roadbooks:** Default set of icons that can be used for e-Roadbooks.
- **In case of a GPS with only one field for waypoint name:** Some GPS devices only accept one single field as waypoint name, but in Land you can use several fields to describe your waypoint. Set which field will be used when loading waypoints to the GPS device:

Icon	
Short name	Hotel in Paris
Description	That's the hotel where we stayed last time we were in Paris.


- **Send only short name:** Waypoint's short name.
- **Send only description:** Waypoint's description.
- **Send name and description together:** Both fields are used as name of the waypoint (waypoint's short name + waypoint's description).
- **Font size waypoints:** Font size for all labels.



- **Font color waypoints:** Default label color for new waypoints (waypoints already created will keep their original color).




- **Label background waypoints:** Background color for waypoints.



- **Label background transparent:** Background can be transparent.

- **Waypoint icon position:**



- **Show radius:** Define in which situations waypoint's radius will be displayed.



- **Radius color:** Default radius color for waypoints that display their radius.




- **Radius thickness:** Default radius thickness for waypoints that display their radius.




5.6 FOLDERS

Functions accessible from: 'Main menu > File > Preferences > Folders'



In order to show your elements (maps/waypoints/routes/sets/photos) in the data tree press 'Open (TYPE OF ELEMENT)'. By default Land will offer you the possibility to open any element stored in the default folders of the software:

- **Default folder for maps:** 'Documents/CompeGPS/Maps'
- **Default folder for waypoints:** 'Documents/CompeGPS/Data'
- **Default folder for routes:** 'Documents/CompeGPS/Data'
- **Default folder for sets:** 'Documents/CompeGPS/Data'
- **Default folder for photos:** 'Documents/CompeGPS/Data'



Additionally, if your elements are placed in different folders, you do not need to re-group them into one single folder: you can define the folders where you store each type of data manually. Then, data lists will contain in a single list all data from the different folders that you have set.

NOTE: You can also open elements by dragging them from computer to the map window of Land.

5.7 CONNECTED SERVICES

Functions accessible from: 'Main menu > File > Preferences > Connected services'



This section centralizes all on-line accounts in which you are logged in:

- **myTwoNav.com:** The customer area of TwoNav allowing you to:
 - Edit customer profile
 - Easily manage and install your products on devices
 - Validate products
 - Manage uploaded tracks to myTwoNav
- **Amigos:** Accessible from 'Tool bar > Amigos'.
- **Dropbox:** Accessible from 'Data tree > On-line files > Dropbox'.
- **GO cloud:** Land will automatically synchronize any new route with GO cloud and vice versa.
- **Others**

5.8 COORDINATES

Functions accessible from: 'Main menu > File > Preferences > Coordinates'

These settings will be used when introducing any coordinate into the software as well as creating any element (waypoints/routes):

- **Coordinates type:** UTM, Latitude/Longitude, BGN...
- **Degree format:** Configure the order in which the degrees are displayed.

dd.ddddddd dd°mm.mmm' dd°mm'ss.s

- **Datum for display:** Used to translate the positions of elements (waypoints/routes) to the exact position on the earth. Datum systems are needed because the earth is an imperfect ellipsoid.
- **Internal datum:** Datum that will be used for internal calculations.
- **Primary map mode:** Set by default which map will be considered the primary map (predominant map among the rest of maps).

- **First loaded map will be primary map**
- **Last loaded map will be primary map**
- **Use a fixed projection, not a primary map**
- **View datum list:** Choose a fixed projection from a short list of proposed map projections, Land will always use it as primary projection.

5.9 UNITS

Functions accessible from: 'Main menu > File > Preferences > Unidades'


Set the type of measurement units to use in Land:

- | | | |
|--------------------------|------------------|------------------------|
| • Distance: | km | ft, m, mi, nm |
| • Altitude: | m | brazas, ft |
| • Speed: | km/h | kt, min/km, mph |
| • Short distance: | km | ft, m, mi, nm |
| • Acceleration: | m/s ² | g, km/h/s |
| • Vertical speed: | m/s | ft/min, m/h, m/min |
| • Area: | m ² | hect., km ² |
| • Energy: | J | cal, Kcal, KJ, MJ, KWh |

5.10 DEVICE

5.10.1 GENERAL

Functions accessible from: 'Main menu > File > Preferences > Device > General'



Set the default settings to easily detect your GPS device:

- **Connect GPS at start:** GPS connection can be established by default when Land is started.
- **Communications port:** Set the port of the GPS receiver-Computer connection.
- **Protocol:** Set the protocol used by GPS.

NOTE: *If you do not know the protocol, set 'Auto-Detect'. Land will identify the original protocol of the GPS.*

- **Speed:** Set the data transfer speed.

5.10.2 ADVANCED COMMUNICATION OPTIONS

Functions accessible from: 'Main menu > File > Preferences > Device > Advanced communication options'

In addition to the default settings to detect your GPS device, you can also define advanced options that will be used once your GPS device has been found:

- **GPS datum:** In order to provide a proper representation in Land, set the datum used by the GPS device. Datums are used to translate the positions of elements (waypoints/routes) to the exact position on the earth. Datum systems are needed because the earth is an imperfect ellipsoid. Choose the most suitable datum for the map that are working with.
- **GPS uses ellipsoidal altitudes:** In order to provide a proper representation in Land, mark this option if ellipsoidal heights are being used by the GPS device.
- **Use GPS bearing:** Land will take bearing data provided by the connected GPS device.



- **Separate tracks if downloaded in one file:** If Land detects that you are downloading several tracks packed in a single file, the software will separate them once they are downloaded in the computer.



- **Delete stopped points at the beginning and at the end of track:** Track will omit the repetitive points from the beginning and the end where you stopped before and after making the track.



5.10.3 2ND GPS

Functions accessible from: 'Main menu > File > Preferences > Device > 2nd GPS'



Land not only allows you to connect a single GPS device, but several more, set the default settings that will be used to detect 2nd GPS devices:

- **Protocol:** Set the protocol used by the 2nd GPS.
- **Speed:** Set the data transfer speed used by the 2nd GPS.
- **Communications port:** Set the port of the GPS receiver-Computer connection used by the 2nd GPS.

5.11 NAVIGATION

5.11.1 TRACKLOG

Functions accessible from: 'Main menu > File > Preferences > Navigation > Tracklog'



Configure the type of track that Land will generate from your navigation:

- **Recording interval:**




- **By time:** Set the time to create every new track point.
- **By distance:** Set the distance to create every new track point.
- **Automatic:** Track points will be automatically recorded when changing course and depending on the speed.
- **Recovery time:** When Land is suddenly switch off, if you turn the device on during the established interval, the previous data is recovered and displayed again.
- **File format:** Set the track format of the resulting file.




- **Weak signal filter:** If GPS signal is not reliable, points are ignored while recording track. This prevents the recording of non reliable data.


- **Track color:** Set the color for the generated track.




- **Track thickness:** Set the thickness for the generated track.



- **Points shown without reduction:** Recorded track is visible at map window, but only the latest track points are shown as they are recorded (with no reduction of points). Set how long this section is.



- **Reduction for previous points:** It is highly recommended to make a reduction of the rest of the displayed track as well. Set a reduction to display the previous points of the recorded track (all except the latest points).



IMPORTANT: These reductions does not affect the resulting track file (it will keep all points). These functions only concern the track being displayed on screen in order to save memory.

5.11.2 POINTER

Functions accessible from: 'Main menu > File > Preferences > Navigation > Pointer'

Icon displayed at map window can be fully customized according to your needs:


- **Pointer/Animation pointer:** Icon displaying position on the map.




- **Fixed ring and parallels:** A circumference encircling the position will be drawn.




- **Fixed ring radius:** It determines the size of the circumference surrounding the position.



- **Draw prow lines parallels:** Draw parallel lines to the prow line (guideline indicating the direction of the movement).



- **Variable ring:** Add more rings around the position. Define the radius of the inner ring and the number of successive rings which will be equidistant from the first inner ring.



- **View turning radius:** When turning, the radius corresponding to the circumference described will be displayed.
- **View direction line:** Set the length of the prow line that will be displayed on the map.



- **Disabled:** No prow line will be displayed.


- **Pixels:** Set the length of the prow line in pixels.
- **Real distance:** Prow line will be displayed on the map at real scale.
- **Expected distance in time:** Land will calculate the estimated distance to be covered in that time at current speed.
- **Infinite:** The length of the prow line will be infinite.

5.11.3 RECENTERING TIME


Functions accessible from: 'Main menu > File > Preferences > Navigation > Recentering time'

While navigating or editing you may move the map to see other parts of the ground, and so losing your current reference. In these situations press 'Re-center' and Land will move back to your current reference.

- **Re-center automatically:** Land has an automatic re-centring function, so if map is not moved manually, it will be re-centred back to your current position according to the set value.
- **Smooth re-center:** Re-centring can be performed with a smooth movement or instantaneously.



- **Re-center when editing:** Automatic window re-centering while editing or creating new points for routes. If disabled, map window will not be automatically refreshed, so you will need to move the map window manually.



- **Auto-rotation speed:** Auto-rotation function can be configured to move faster or slower.

5.11.4 NEXT WAYPOINT

Functions accessible from: 'Main menu > File > Preferences > Navigation > Next waypoint'




When navigating a route, you can select a required event to validate a waypoint and switch to the following one:

- **Switch to next waypoint:**
 - **Inside the radius of next waypoint:** Enter inside the radius of the next waypoint (only that one).
 - **Inside the radius of any next waypoint:** Enter inside the radius of any of the next waypoints (next one and any of the succeeding waypoints).
 - **e-Roadbook mode, going out of the radius of any waypoint:** When entering the radius of any waypoint, it will be set as next. When going out of it, next one will be activated. When following an e-Roadbook it is required to show the information of the current waypoint while in its surroundings. This way, instructions for each point can be followed correctly.
 - **Crossing bisector inside radius of next waypoint:** Enter inside the radius of next waypoint and cross the bisector that is formed with the previous and next waypoint.

- **Crossing bisector inside radius of next waypoint or 10% of any waypoint:** Same as the previous, but if any waypoint is quite near (10% of its radius) it will be validated and the next one will be activated.
- **Only from buttons bar:** Never change to next waypoint automatically, only manually when 'Next waypoint' or 'Previous waypoint' buttons are pressed.
- **Default radius for waypoints:** A default radius can be assigned for route waypoints, this value will be taken when this information is not available. If radius for a concrete waypoint of the route is defined, it will be respected. But in case that waypoint does not have a specific radius, the default one will be used instead.

5.11.5 WAYPOINT ALARM

Functions accessible from: 'Main menu > File > Preferences > Navigation > Waypoint alarm'



During your navigation, Land may alert you when getting close or reaching certain points. Set an alarm to warn you when you are about to enter to any waypoint.

- **Audible alarm at waypoints:** Fix also a warning sound.
- **Auto-play associated images/sounds/texts/videos:** Associated files can be automatically displayed when you are entering into the radius of any waypoint.


5.12 3D

5.12.1 GENERAL

Functions accessible from: 'Main menu > File > Preferences > 3D > General'

Land offers a three dimensional visualization mode that can be fully customized in order to have the most adequate perspective in each moment:


- **3D quality:** Customize the depth of the 3D quality from a list of different degrees.




- **Maximum tiles to show:** Set the maximum number of map tiles to display (the higher number of tiles displayed, the slower will load).




- **Altitude exaggeration:** Multiplies the altitude of the relief to make a clearer effect in 3D.




- **Rendering mode:** When using 3D view, display the rendering of maps according to your needs.




- **Shading:** Relief will be displayed in a clearer and attractive way, as it features shadow simulations enhancing thus the variations of the ground.



- **Field of vision:** Determines the angle from which the map will be seen. When introducing angles over 60°, it will simulate a camera with wide lenses.



- **Foggy horizon:** The furthest part to the perspective becomes faded, creating a misty effect between the sky and the map that helps to distinguish them more clearly.




- **Search for a relief when starting 3D view:** When 3D view is enabled, Land will automatically open a relief map.



- **Sea level:** Fix the current value of the sea level to represent situations where the height is under the sea level.


5.12.2 SIMULATOR

Functions accessible from: 'Main menu > File > Preferences > 3D > Simulador'




Land offers a three dimensional simulator mode that can be very useful for you to discover or revive the terrains where your activities are performed, move freely around the landscape as if you were there. These are the controls that are available when you are enable 'Flight simulator':

- **Sort of simulator:** Set the type of simulator that you are going to use:



- **Flight simulator:** Animation icon will travel freely in the aerial space.
- **Car simulator:** Animation icon will travel stucked on the surface of the landscape as if attracted by gravity.
- **Minimum distance to land (only for 'Flight simulator'):** Set the lowest altitude that flight simulator can perform in the aerial space.



- **Wind speed:** Define the speed of the wind during the simulation, increase/reduce the speed of the animation icon.
- **Sensor speed:** Modulate the direction of the speed that will be used by the animation icon during the simulation.




5.12.3 TURN CONTINUOUSLY 3D


Functions accessible from: 'Main menu > File > Preferences > 3D > Turn continuously 3D'

Set how viewing modes have to work according to your preferences:

- **Horizontal rotation speed:** Speed for the horizontal component of the rotation.
- **Vertical rotation speed:** Speed for the vertical component of the rotation.
- **Displacement speed:** Define the speed that Land will use to zoom when changing to another position.
- **Maximum distance:** Define the maximum distance over the land where map view will be set when using 'Zoom' function




- **Minimum distance:** Define the minimum distance over the land where map view will be set when using 'Zoom' function.



5.13 PHOTOS

Functions accessible from: 'Main menu > File > Preferences > Photos'



Land offers you the possibility to easily associate all kind of photos to waypoints/routes. Customize your trips attaching each photo at the exact place where they were taken.

- **Draw thumbnail on map:** Show/Hide photo thumbnail at map window.
- **Thumbnail size:** Set the size of the photo thumbnail at map window.
- **Image always visible during animation:** Photo window will remain opened during simulations.
- **Show image:** Set the time interval that photo window will remain opened during simulations.
- **Write name of the photo:** Show/Hide the name of the photo along with the thumbnail at map window.

- **Open photos in subdirectories:** When importing photos, it will take also the pictures stored in subfolders, in addition to the ones of the selected folder.

5.14 VIDEO

Functions accessible from: 'Main menu > File > Preferences > Video'



Land offers a video function that can be very useful for you to record all that happens at map window. Record and revive the creation, edition or simulation of any itinerary:


- **Video capturer:** If you have any video device, video capturer will detect it.
- **Video channel:** Signal detection of the video channel.
- **Audio capturer:** If you have any audio device, audio capturer will detect it.
- **Video codec:** Set the type of video codec that Land will use by default.
- **Audio codec:** Set the type of audio codec that Land will use by default.
- **Compression mode:** Set the compression mode that Land will use by default.
- **Compression quality:** Set the quality compression that Land will use by default.
- **Frame rate:** Frequency to take frames during the video capture.
- **Preview:** Show/Hide a real-time preview of the capture.
- **Fields to overlay:** Selected data fields will be displayed on screen during the video capture.

5.15 KEYS & BUTTONS

Functions accessible from: 'Main menu > File > Preferences > Keys & Buttons'

Land bars can be configured to fit your needs, display the tools that you really need:

- **Button bar:**



- **2D visualization bar:**



- **3D visualization bar:**




- **Navigation bar:**



- **Main menu:**



- **Fast keys:**

 Ctrl+P	Open Profile	 Ctrl+G	Altitude Graph
 Ctrl+S	Save all	 Shift+Ctrl+A	Close all
 Ctrl+D	Distance measurement	 Ctrl+F7	Previous zoom

- **Vertical button bar:**



5.16 JOYSTICK

Functions accessible from: 'Main menu > File > Preferences > Joystick'



You can also manage Land views by simply connecting a joystick to the computer. Once Land has recognized the new peripheral, you will have to assign functions to each button and axis of the joystick, customize the use of the peripheral according to your preferences:

- **Use joystick here:** Define in which view of Land do you want to use the joystick (joystick commands can be different for each type of view):
 - **Simulation**
 - **Animation**
 - **2D view**
 - **3D view**
- **Axes:** Define a function for each axis (bearing view, engine, brakes, nodding view...).
- **Buttons:** Define a function for each button (new waypoint, shot waypoint, only a sound shot, brakes, fast elevation, fast decent...).

6 APPENDIX: DATA FIELDS

Check full list of data fields and their usage. These fields are displayed in the data pages and object properties:

Distances

- **Deviation from route:** Distance to active route.
- **Distance to TrackAttack:** Distance between your current position and the position of the 'TrackAttack'.
- **Distance to next radar:** Distance to next radar point.
- **Distance to destination:** Distance to destination (last waypoint of the route).
- **Distance to next:** Distance to the next waypoint.
- **Lap odometer:** Distance covered from the beginning of the current lap section up to the current position. Value reseted every time a new lap section is started.
- **Profile odometer:** Accumulated distance of your current profile (hiking, mountain bike...). Value not automatically reseted every time TwoNav is turned off.

- **Route percentage:** Percentage of the route that has been already done.
- **Total odometer:** Accumulated distance of all your trips. Value not automatically reseted every time GPS is turned off. GPS can calculate the total distance using different data calculations.
- **Trip odometer:** Distance covered from the beginning of itinerary. Value reseted every time GPS is turned off.

Altitudes

- **Altitude at next:** Predicted altitude to next waypoint if current trajectory is maintained.
- **Altitude:** Altitude from the sea level.
- **Altitude difference to destination:** Difference between the altitude of destination and current altitude.
- **Altitude difference to next:** Difference between the altitude of the next waypoint and current altitude.
- **Altitude ground level:** Altitude from the ground level.
- **Ascent to destination:** Ascent till destination is reached.
- **Barometric altitude:** Altitude provided by the barometric altimeter.
- **Current depth:** Current depth value taking as reference the nautical chart.
- **Depth at next:** Depth value at next waypoint
- **Depth at prow line:** Current depth value at prow line.
- **GPS altitude:** Present altitude provided by GPS receives via satellites.
- **Graph:** Representation of the track being covered.
- **Land altitude:** Altitude of the land provided by the 3D relief map (*.CDEM).
- **Lap climb:** Total amount climbed from the begining of the current lap section up to the current position.
- **Lap descent:** Total amount descended from the begining of the current lap section up to the current position.

- **Maximum altitude:** Reached during your itinerary.
- **Slope:** Slope of your current movement.
- **Slope at next:** Slope till the distance set at '*Next slope distance*'.
- **Trip ascent:** Total amount climbed from the beginning of itinerary up to the current position.
- **Trip descent:** Total amount descended from the beginning of itinerary up to the current position.

Times

- **Chronometer:** Starts counting when started.
- **Estimated hour at destination:** Estimated time of arrival to destination (last waypoint of the route) at present speed.
- **Estimated hour at next:** Estimated time of arrival to the next waypoint (at present speed).
- **Estimated time to destination:** Estimated time to reach destination (last waypoint of the route) at current speed.
- **Estimated time to destination (cruise):** Estimated time to reach destination (last waypoint of the route) at cruise speed.
- **Estimated time to next:** Estimated time to reach next waypoint at current speed.
- **Estimated time to next (cruise):** Estimated time to reach next waypoint at cruise speed.
- **Lap chronometer:** Time elapsing the current lap section from the beginning of the current lap section up to the current position.
- **Stopped time:** Total amount of time without moving.
- **Sunrise:** Sunrise time.
- **Sunset:** Sunset time.
- **Time:** Current time according to the selected time zone.
- **Time to TrackAttack:** Time difference between you and the '*TrackAttack*'.
- **Time in movement:** Total amount of time moving.

- **Time without package:** Elapsed time since last time GPS signal was received.

Speeds

- **Current pace:** Speed in minute/kilometer.
- **Lap mean speed:** Average of all speeds values from the beginning of the current lap section up to the current position.
- **Lap pace:** Average of all pace values from the beginning of the current lap section up to the current position (speed in minute/kilometer).
- **Maximum speed:** Maximum speed in current itinerary.
- **Mean moving speed:** Average of all speeds values above the minimum speed movement.
- **Mean speed:** Average of all speeds values.
- **Mean moving pace:** Average of all pace values above the minimum speed movement.
- **Mean pace:** Average of all pace values.
- **Moving pace:** Average of all pace values avoiding stopped points.
- **Next radar speed:** Displays maximum speed allowed by the next radar.
- **Normal acceleration:** Perpendicular to movement in circular movements.
- **Partial mean speed:** Average of all speeds values from the beginning of itinerary up to this moment.
- **Speed:** Current speed.
- **Speed limit:** Speed limit established for the current road.
- **Tangential acceleration:** Component of linear acceleration tangent to the path.
- **Velocity made good:** Right direction's velocity component to the following waypoint.
- **Vertical speed:** Descending speed (vertical component of speed value).

Bearings

- **Bearing:** Current course.

- **Bearing to next:** Course towards to the next waypoint.
- **Compass:** Compass representation.
- **GOTO arrow:** Arrow that indicates the course towards to the next waypoint.
- **Magnetic bearing:** Course followed according to the inner device compass.

Effort

- **% HRR:** Heart Rate Reserve.
- **% Maximum heart rate:** Maximum heart rate.
- **Accumulated power:** Total amount power from the beginning of itinerary up to the current position.
- **Cadence:** Current cadence at this moment (based on pedal stroke frequency).
- **Current power:** Current power at this moment (based on pedal stroke frequency).
- **Heart rate zone (% Max.):** Predefined heart rate intensity zones.
- **Heart rate zone (% Max-Rest):** Predefined heart rate intensity zones (Cardiac frequency in reserve).
- **Heart rate:** Current heart rate at this moment.
- **Instantaneous cadence:** Current cadence at this moment (based on power meter data).
- **Instantaneous power:** Current power at this moment (based on power meter data).
- **Left (or combined) pedal smoothness:** How smoothly power is delivered to the left pedal.
- **Left torque effectiveness:** How much of the power delivered to the left pedal is pushing it forward.
- **Maximum power:** Maximum power achieved from the beginning of itinerary.
- **Mean power:** Average of all power values.
- **OCA:** Optimum chainring angle.
- **Pedal power:** Relative power left-right.
- **Powermeter:** Power of the last pedaling.

- **Right pedal smoothness:** How smoothly power is delivered to the right pedal.
- **Right torque effectiveness:** How much of the power delivered to the right pedal is pushing it forward.
- **Total energy:** Total odometer energy.
- **Trip energy:** Partial odometer energy.

GPS

- **Coordinates:** Coordinates of the current position.
- **Differential GPS:** GPS gives differential signal (submetric accuracy).
- **HDOP:** Horizontal Dilution Of Precision (estimated current accuracy of the GPS).
- **PDOP:** Position Dilution Of Precision (estimated current position accuracy of the GPS).
- **Precision:** Error margin of the GPS.
- **Used satellites:** Satellites fixed in current position.
- **VDOP:** Vertical Dilution Of Precision (estimated current vertical accuracy of the GPS).

Flight

- **Altitude ground level:** Altitude from the ground level.
- **L/D goal:** Minimum glide ratio required to reach your goal (going through all intermediate waypoints).
- **L/D instant glide ratio:** Glide ratio dividing horizontal distance by vertical (descending).
- **L/D required:** Minimum glide ratio required to reach next waypoint (distance to waypoint divided by waypoint's altitude over ground level).
- **Land altitude:** Altitude of the land provided by the 3D relief map (*.CDEM).
- **Slope to next waypoint:** Slope from your current position to next waypoint.
- **Slope to destination:** Remaining slope till destination is reached.
- **Vertical speed:** Descending speed (vertical component of speed value).

General

- **Air pressure:** Present atmospheric pressure provided by the barometric altimeter.
- **Battery:** Remaining energy in your device.
- **City:** Current city.
- **Croquis:** Image displaying manoeuvres.
- **Current lap:** Identifies the lap where you are at the present moment.
- **File name:** Name of the current track.
- **Free memory:** Remaining memory in your device.
- **Next waypoint name:** Name of the following waypoint.
- **Next2 waypoint icon:** Icon associated to the waypoint following the next waypoint.
- **Number of points:** Track points saved up to current position.
- **Place name:** Name of the element of your current position.
- **Radar icon:** Displays an icon when entering the radius of a radar.
- **Radius turn:** Radius of the turn that you are taking at the moment.
- **Relative humidity:** Current humidity rate.
- **Signpost:** If available, road indications are displayed.
- **Temperature:** Current temperature.
- **Virtual free memory:** Virtual free memory in your device.

NOTE: *Due to platform restrictions, some functions may only be available in certain platforms.*
